View NSN Online: https://aerobasegroup.kr/nsn/4820-01-015-9246

Product ID:HYLOMAR PL32 H(HEAVY)

MSDS Date:09/26/1986

FSC:8030

NIIN:01-015-9246

MSDS Number: BBPXJ === Responsible Party ===

Company Name:BENTLEY MARSTON INC. Address:1820 STAR BATT DRIVE EAST

City:ROCHESTER

State:MI ZIP:48063

Info Phone Num:(313) 852-6730

Emergency Phone Num: (313) 852-6730

CAGE:0E

PH9

=== Contractor Identification ===

Company Name: BENTLEY MARSTON INC.

Address:1820 STAR BATT DRIVE EAST

City:ROCHESTER

State:MI ZIP:48063

Phone: (313) 852-6730

CAGE:0EPH9

Company Name: MARSTON BENTLEY

Box:UNKNOW CAGE:MARBT

====== Composition/Information on Ingredients ========

Ingred Name: METHYLENE CHLORIDE (SARA III)

CAS:75-09-2

RTECS #:PA8050000 Fraction by Wt: 43%

Other REC Limits:A2 CARCINOGEN OSHA PEL:500 PPM/C,1000; Z2 ACGIH TLV:50 PPM, A2; 9192

EPA Rpt Qty:1000 LBS

**DOT Rpt** 

======================================
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SKIN: PROLONGED CONTACT MAY CAUSE IRRITATION. INHALATION: HEADACHE, DIZZINESS Explanation of Carcinogenicity:NONE Effects of Overexposure:SKIN: PROLONGED CONTACT MAY CAUSE IRRITATION. INHALATION: HEADACHE, DIZZINESS. Medical Cond Aggravated by Exposure:BRONCHIAL
= ====================================
First Aid:EYES: WASH WITH WATER. SKIN: WASH WITH SOAP & WTER. INGESTION: GIVE MILK OR WATER TO DRINK. INHALATION: REST IN FRESH AIR, SEEK MEDICAL AID.
======================================
Flash Point Method:COC Flash Point:265C Lower Limits:13% Upper Limits:22% Extinguishing Media:FOAM, CO2, DRY CHEMICAL
======== Accidental Release Measures ==========
Spill Release Procedures:ALLOW SOLVENT TO EVAPORATE AND SCRAPE UP PUTTY.
=========== Handling and Storage ============
Handling and Storage Precautions:STORE AT CONSTANT TEMPERATURE 5 & 35C. Other Precautions:NO FURTHER PRECAUTIONS ARE THOUGHT TO BE NECESSARY.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NOR NORMALLY REQUIRED Ventilation:NOT REQUIRED Protective Gloves:NOT NECESSARY Eye Protection:NOT NORMALLY REQUIRED Other Prote

Qty:1000 LBS

ctive Equipment:NONE Work Hygienic Practices:NORMAL PERSONAL HYGIENE Supplemental Safety and Health
========== Physical/Chemical Properties ==========
Boiling Pt:B.P. Text:40C
Vapor Pres:400
Vapor Density:2.9
Spec Gravity:1.3
Evaporation Rate & Dr. Reference: (BU AC = 1): 25
Solubility in Water:INSOLUBLE
Appearance and Odor:BLUE GEL; ODOR OF METHYLENE CHLORIDE
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRON
G OXIDIZING AGENTS
Stability Condition to Avoid:ABNORMALLY HIGHT TEMPERATURES
Hazardous Decomposition Products: CHLORINE MAY BE PRODUCED AT ABNORMALLY
HIGH TEMPERATURES

====== Disposal Considerations ==========

Waste Disposal Methods:WITH FACTORY REFUSE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, ex

pressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.