

EASTMAN KODAK COMPANY -- 128 4702,EA-5 PREHARDENER AND REPL, PART B --  
6750-00-001-9398

===== Product Identification =====

Product ID:128 4702,EA-5 PREHARDENER AND REPL, PART B

MSDS Date:10/03/1991

FSC:6750

NIIN:00-001-9398

Kit Part:Y

MSDS Number: BCTXP

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:

716-722-5151

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

===== Composition/Information on Ingredients =====

Ingred Name:MAGNESIUM SULFATE

CAS:7487-88-9

RTECS #:OM4500000

Fraction by Wt: 100%

===== Hazards Identification =====

Route

s of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHALATION-LOW HAZARD FOR RECOMMENDED HANDLING. EYES-NO SPECIFIC HAZARD KNOWN. SKIN-LOW HAZARD FOR RECOMMENDED HANDLING. INGESTION-EXPECTED TO BE A LOW INGESTION HAZARD.

Explanation of Carcinogenicity:THIS CHEMICAL IS NOT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.

Effects of Overexposure:EYES-MAY CAUSE TRANSIENT IRRITATION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:INHALATION-REMOVE TO FRESH AIR. GET MEDICAL ATTENTION.  
EYES-ANY MATERIAL THAT CONTACTS THE EYES AHOULD BE WASHED OUT IMMEDIATELY. GET MEDICAL ATTENTION. SKIN-WASH AFTER EACH CONTACT. GET MEDICAL ATTENTION. INGESTION-DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====

Autoignition Temp:  
emp:Autoignition Temp Text:NONE  
Extinguishing Media:USE APPROPRIATE AGENTS FOR SURROUNDING FIRE.  
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND CLOTHING.  
Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:FLUSH MATERIAL TO SEWER WITH LARGE AMOUNTS OF WATER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS TIGHTLY CLOSED.  
Other Precautions:NONE

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER.  
Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT.  
Protective Gloves:GLOVES MAY BE REQUIRED.  
Eye Protection:SAFETY GLASSES RECOMMENDED.  
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.  
Work Hygienic Practices:USE GOOD INDUSTRIAL HYGIENE PRACTICE.  
Supple

mental Safety and Health

THIS IS PART B OF A THREE PART KIT. SEE OTHER P/N IND, THIS NSN, FOR  
ADDITIONAL INFORMATION. COMPONENT NUMBER: 10522. KIT MAKES 50  
LITERS OF SOLUTION.

===== Physical/Chemical Properties =====

HCC:B2

Decomp Temp:=1123.9C, 2055.F

Vapor Pres:NEGLIGIBLE

Spec Gravity:1.67

Evaporation Rate & Reference:NEGLIGIBLE

Solubility in Water:APPRECIABLE

Appearance and Odor:WHITE CRYSTALS; ODORLESS

===== Stability and Reactivity Dat

a =====

Stability Indicator/Materials to Avoid:YES

NONE WITH COMMON MATERIALS & CONTAMINATS WITH WHICH THE MATERIAL MAY  
REASONABLY COME INTO CONTACT.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY PRODUCE  
OXIDES OF SULFUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT  
TO FEDERAL, STATE OR LOCAL LAWS.

Di

sclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.