

TECH SPRAY,INC -- MIL-C-83360,CLNG & LUB CMPD.,ELEC CNTC TY 2 -- 6850-00-003-1194
===== Product Identification =====

Product ID:MIL-C-83360,CLNG & LUB CMPD.,ELEC CNTC TY 2

MSDS Date:01/01/1985

FSC:6850

NIIN:00-003-1194

MSDS Number: BCTXS

=== Responsible Party ===

Company Name:TECH SPRAY,INC

Address:88 HUGHES STREET

Box:949

City:AMARILLO

State:TX

ZIP:79105

Country:US

Info Phone Num:800-692-4677 OR

800-858-4043

Emergency Phone Num:806-372-8523

CAGE:JO768

=== Contractor Identification ===

Company Name:TECH SPRAY INC

Address:1001 NW 1ST

Box:949

City:AMARILLO

State:TX

ZIP:79105-0949

Country:US

Phone:806-372-8523

CAGE:54700

Company Name:TECH SPRAY,INC

Address:88 HUGHES STREET

Box:949

City:AMARILLO

State:TX

ZIP:79105

Country:US

Phone:800-692-4677 OR 800-858-4043

CAGE:JO768

===== Composition/Information on Ingredients =====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE)

) (SARA III)
CAS:71-55-6
RTECS #:KJ2975000
Fraction by Wt: 65%
OSHA PEL:350 PPM/450 STEL
ACGIH TLV:350 PPM/450STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS
Ozone Depleting Chemical:1

Ingred Name:SILICONE FLUID
RTECS #:VM1620000
Fraction by Wt: 5%

Ingred Name:DICHLORODIFLUOROMETHANE (SARA III)
CAS:75-71-8
RTECS #:PA8200000
Fraction by Wt: 30%
OSHA PEL:1000 PPM
ACGIH TLV:1000 PPM; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS
Ozone Depleting Chemical:1

=====
Hazards Id
entification =====

Effects of Overexposure:CONJUNCTIVITIS,DERMATITIS,DIZZINESS,MENTAL
CONFUSION,DROWSINESS,INCORPORATION,UNCONSCIOUSNESS

=====
First Aid Measures =====

First Aid:REMOVE PATIENT FROM AREA OF HIGH CONCENTRATION OF
VAPORS.IRRIGATE EYES WITH WATER.WASH CONTAMINATED AREAS OF BODY
WITH SOAP & WATER.STOMACH WASH,IF SWALLOWED,FOLLOWED BY SALINE
CATHARSIS.OXYGEN,IF NEC ESSARY.NO ADRENALINE.

=====
Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:N.A.
Fire Fighting Procedures:N.A.
Unusual Fire/Explosion Hazard:N.A.

=====
Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE IN LOCATION WHERE
TEMPERATURE WILL EXCEED 120F.DO NOT DROP.PROTECTION FROM MOISTURE
BE PROVIDED FOR BULK STORAGE.DO NOT STORE IN AL CANS.
Other Precautions:WEAR SAFETY GOGGLES,CHEMICAL CARTRIDGE RESPIRATOR &
RUBBER GLOV

ES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:CHEMICAL CARTRIDGE RESPIRATOR
Ventilation:AS REQUIRED TO CONTROL TLV IN AIR
Protective Gloves:RUBBER
Eye Protection:SAFETY GOGGLES
Supplemental Safety and Health
THE ITEM IS TYPE II IN MIL-C-83360

===== Physical/Chemical Properties =====

HCC:V3
Boiling Pt:B.P. Text:167F
Vapor Pres:100
Spec Gravity:1.3250
Solubility in Water:NEGLIGIBLE
Appearance and Odor:CLEAR LIQUID,ETH
EREAL ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
DO NOT STORE IN ALUMINUM CONTAINERS

===== Disposal Considerations =====

Waste Disposal Methods:DO NOT INCINERATE OR PUNCTURE CA.PURIFY BY
DISTILLATION.RETURN TO THE SUPPLIERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The
United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.