

AMCO CHEM CORP, DIST - SHELL CHEM, MFR -- ETHYLENE GLYCOL,TECH -- 6810-00-006-4206

=====
Product Identification
=====

Product ID:ETHYLENE GLYCOL,TECH

MSDS Date:01/01/1987

FSC:6810

NIIN:00-006-4206

MSDS Number: BCVBX

=== Responsible Party ===

Company Name:AMCO CHEM CORP, DIST - SHELL CHEM, MFR

Emergency Phone Num:713-473-4961

CAGE:JO792

=== Contractor Identification ===

Company Name:AMCO CHEM CORP

, DIST - SHELL CHEM, MFR

CAGE:JO792

Company Name:AMCO CHEMICAL CORP

Address:3RD - CYPRS

Box:208

City:OAKLAND

State:CA

ZIP:94607

Country:US

Phone:NOT IN BUSINESS! 911008P505A ???

CAGE:97984

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHYLENE GLYCOL (SARA III)

CAS:107-21-1

RTECS #:KW2975000

Fraction by Wt: 100%

OSHA PEL:C 50 PPM

ACGIH TLV:C 50 PPM,VAPOR; 9192

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

=====
Hazards Identification
=====

=====

Effects of Overexposure:IRRIT TO SKIN/EYES.EXCESS EXPOSURE TO VAPOR CAN CAUSE EYE IRRIT,CORNEAL DAMAGE,SKIN DAMAGE.

===== First Aid Measures =====

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH W/SOAP&WATER. RMV CONTAM CLTHG&SHOES. INGEST:INDUCE VOMIT. RPT UNTIL VOMIT IS C LEAR. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

===== Fire Fighting Measures =====

Flash Point:250F,121C TCC
Lower Limits:3.2
Upper Limits:15.3
Extinguishing Media:ALCOHOL FOAM, CO*2, DRY CHEM, WATER FOG
Fire Fighting Procedures:USE SELF-CNTND BRTHNG APPARATUS FOR FIRES IN CNFND SPACES
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:WEAR APPRVD RESP & APPROPRIATE PROTECTIVE CLOTHING. DIKE, REMOVE LIQ W/VACUUM TRUCK OR BY PUMPING INTO SALVAGE D RUMS. SOAK UP RESIDUES & SM SPILLS W/ABSORBENT SUCH AS CLAY OR PUT INTO TIGHT CNTNR. FLU SH AWAY W/H*20. KEEP FROM SEWERS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY PLACE
Other Precautions:PRACTICE GOOD PERSONAL HYGIENE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPRVD RESP PROTECTION AS REQ TO PREVENT OVEREXPOSURE
Ventilation:PROVIDE MECHAN(GEN/LOCAL EX

HAUST)VENT TO MAINTN