

DEXTER HYSOL AEROSPACE INC;THE DEXTER CORPORATION -- EA-934 PART B --
8040-00-016-8662

===== Product Identification =====

Product ID:EA-934 PART B

MSDS Date:01/01/1987

FSC:8040

NIIN:00-016-8662

Kit Part:Y

MSDS Number: BCVJY

=== Responsible Party ===

Company Name:DEXTER HYSOL AEROSPACE INC;THE DEXTER CORPORATION

Address:2850 WILLOW PASS ROAD

Box:312

City:PITTSBURG

State:CA

ZIP:94565-3237

Country:U

S

Info Phone Num:415-687-4201

Emergency Phone Num:415-687-4201

CAGE:33564

=== Contractor Identification ===

Company Name:DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address:2850 WILLOW PASS ROAD

Box:312

City:BAY POINT

State:CA

ZIP:94565-3299

Country:US

Phone:202-483-7616

CAGE:33564

===== Composition/Information on Ingredients =====

Ingred Name:DIETHYLENE TRIAMINE

CAS:111-40-0

RTECS #:IE1225000

= Wt:13.

OSHA PEL:1 PPM

ACGIH TLV:S, 1 PPM; 9192

Ingred Name:NON-HAZARDOUS MATER

IALS(TYPE NOT SPECIFIED)

= Wt:87.

=====
===== Hazards Identification =====

Effects of Overexposure:SKIN/EYES:CORROSIVE & CAN CAUSE CHEM.
BURNS;INHAL:IRRITATING & CHEST DISCOMFORT & BRONCHIAL SYMPTMS

=====
===== First Aid Measures =====

First Aid:EYES/SKIN:FLUSH W/PLENTY OF WATER;WASH SKIN THOROUGHLY W/SOAP
& WATER;FOR EYES,FLUSH IMMEDIATELY FOR 15 MINUTES & GET MEDICAL
AID.INGESTION:GIVE WATER OR MILK IF SWALLOWED,DO NOT
INDUCE
VOMITING.GET M EDICAL AID.

=====
===== Fire Fighting Measures =====

Flash Point:>300F/149C (EST)
Extinguishing Media:DRY CHEMICALS,WATER SPRAY OR FOG, FOAM
Fire Fighting Procedures:WEAR SELF-CONTND.BRTHG APPART(SCBA)FIRE
FIGHTNG CONF.SPACE
Unusual Fire/Explosion Hazard:DENSE SMOKE & TOXIC GASES MAY BE
LIBERATED FROM HEAT OF F IRE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE CLOTHI
NG,GLOVES, & SAFETY
GLASSES;SCRAPE UP & TRANSFER TO METAL CONTAINER -WIPE UP REMAINING
RESIDUE W/SOLVENTS,OBSERVING SOLVENT FLAMMABILITY CAUTIONS, OR USE
DETERGENT.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP PRODUCT COOL IAW LABEL
INSTRUCTIONS; DO NOT HEAT MIXED ADHESVIE ABOVE 125F UNLESS CURING
SURFACES TO BE BONDED;OBSERVE CAUTIONS FOR HEAT BUILD-UP
Other Precautions:FOLLOW RECOMMENDED CURING SCHEDULE;DO NOT H
EAT MIXED
ADHESIVE(>125F); FAILURE TO OBSERVE CAUTIONS MAY RESULT IN
EXCESSIVE HEAT BUILD-UP WITH RELEASE OF TOXIC GASES.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPRVD MASK FOR TOXIC DUSTS WHEN CURED
PRODUCT DRY SANDED,ETC.
Ventilation:LOCAL EXHAUST:RECOMMENDED WHEN SANDING CURED PRODUCT;MECHAN
Protective Gloves:IMPERVIOUS TYPE
Eye Protection:SAFETY GLASSES/GOGGLES
Other Protective Equipment:AS NEEDED TO PROTECT SKIN & CLOTH

ING
Supplemental Safety and Health
MSDS DATED:JAN 10,1986

===== Physical/Chemical Properties =====

HCC:B2
Boiling Pt:=207.2C, 405.F
Vapor Pres:~.37
Vapor Density:3.8
Spec Gravity:0.951
Evaporation Rate & Reference:LOW
Solubility in Water:COMPLETE
Appearance and Odor:AMBER LIQUID W/AMMONICAL ODOR
Percent Volatiles by Volume:LOW

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS,S
STRONG LEWIS OR MINERAL ACIDS.
Stability Condition to Avoid:MFR DOES NOT INDICATE ANY
Hazardous Decomposition Products:CO, NO*X, ALDEHYDES, ACIDS &
UNDETERMINED ORGANICS.
Conditions to Avoid Polymerization:AVOID MIXING RESIN & CURING AGENTS
IN BATCHES (>) 1 LB.TOTAL

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF AS A HAZARDOUS WASTE IAW TO DOT
HAZARD CLASS; IF ITEM DOES NOT MEET ANOTHER CLASS,DISPOSE OF AS
ORM-E; DISPOSAL ME
THOD CAN BE LAND BURIAL OR CHEMICAL INCINERATION
AS REGULATED BY ALL GOVERN MENTAL AGENCIES

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verif

y and
assume responsibility for the suitability of this information to their
particular situation.