

SPECTRUM CHEMICAL MFG CORP -- PETROLEUM ETHER ACS. -- 6810-00-051-5872

=====  
Product Identification  
=====

Product ID:PETROLEUM ETHER ACS.

MSDS Date:09/01/1993

FSC:6810

NIIN:00-051-5872

MSDS Number: BCWCX

=== Responsible Party ===

Company Name:SPECTRUM CHEMICAL MFG CORP

Address:14422 S SAN PEDRO STREET

City:GARDENA

State:CA

ZIP:90248-2027

Country:US

Info Phone Num:213-516-8000

Emergency Phone Num:

800-424-9300

Preparer's Name:C.A. EISENHARD

CAGE:63415

=== Contractor Identification ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

Company Name:SPECTRUM LABORATORY PRODUCTS INC

Address:14422 S SAN PEDRO ST

Box:City:GARDENA

State:CA

ZIP:90248-2027

Country:US

Phone:310-516-8000/FAX: 310-516-9843

CAGE:63415

=====  
Composition/Information on Ingredients  
=====

Ingred

Name:NAPHTA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:DE3030000

Other REC Limits:100 PPM

OSHA PEL:100 PPM

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:HAZARDOUS LIQUID AND VAPOR MAY CAUSE  
HEMORRHAGES INTO VITAL ORGANS. INHALATION: INTOXICATION, HEADACHE,  
NAUSEA,

COMA. INGESTION: NAUSEA, DIARRHEA, DROWSINESS, PULMONARY  
EDEMA, BURNING SENSATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHALATION: INTOXICATION, HEADACHE, NAUSEA,  
COMA. INGESTION: NAUSEA, DIARRHEA, DROWSINESS, PULMONARY EDEMA,  
BURNING SENSATION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH THOROUGHLY WITH WATER, SEEK IMMEDIATE MEDICAL  
ATTENT

ION. SKIN: FLUSH WITH WATER; WASH WITH SOAP AND WATER. GET  
MEDICAL ATTENTION FOR PERSISTANT IRRITATION. INHALATION: CALL A  
PHYSICIAN & R EMOVE TO FRESH AIR. INGESTION: DO NOT INDUCE  
VOMITING; GET MEDICAL ATTENTION AT ONCE.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:=-45.6C, -50.F

Lower Limits:1.1

Upper Limits:5.9

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, ALCOHOL FOAM.

Fire Fighting Procedures:WEAR NIOSH APPROVED F

ULL PROTECTIVE CLOTHING

AND SELF-CONTAINED BREATHING APPARATUS. KEEP CONTAINERS COOL WITH  
WATER SPRAY TO PREVENT RUPTURE & RELEASE.

Unusual Fire/Explosion Hazard:CONFINED MATERIAL MAY EXPLODE UPON  
HEATING

=====  
===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE IGNITION SOURCES; VENTILATE AREA;  
ABSORB EXCESS AND EVAPORATE IN HOOD.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:

KEEP CONTAINER TIGHTLY CLOSED. STORE  
IN A COOL, WELL-VENTILATED AREA AWAY FROM SOURCES OF IGNITION.  
Other Precautions:CLEAN SAFETY EQUIPMENT AND AREA THOROUGHLY AFTER USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR APPROVED RESPIRATOR OR SELF-CONTAINED  
BREATHING APPARATUS IF NECESSARY.

Ventilation:LOCAL/GENERAL TO MAINTAIN ADEQUATE VENTILATION (BELOW  
TLV/PEL)

Protective Gloves:IMPERVIOUS OR NEOPRENE.

Eye Protection:CHEMICAL SAFETY  
GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING/APRON TO MINIMIZE SKIN  
CONTACT.

Work Hygienic Practices:WASH HANDS AND FACE THOROUGHLY BEFORE EATING,  
DRINKING, SMOKING, ETC. DO NOT BREATHE VAPORS. DO NOT GET IN  
EYES/ON SKIN.

Supplemental Safety and Health

USE CAUTION WHEN HANDLING OR CLEANING EMPTY CANS.

===== Physical/Chemical Properties =====

HCC:F1

Melt/Freeze Pt: