

BURDICK & JACKSON LAB,INC. (SEE SUP DATA) -- ETHYL ACETATE -- 6810-00-069-2957

=====
Product Identification
=====

Product ID:ETHYL ACETATE

MSDS Date:01/01/1985

FSC:6810

NIIN:00-069-2957

MSDS Number: BCXFZ

=== Responsible Party ===

Company Name:BURDICK & JACKSON LAB,INC. (SEE SUP DATA)

Address:1953 S HARVEY STREET

City:MUSKEGON

State:MI

ZIP:49442-6101

Country:US

Info Phone Num:616-726-3171

Emergen

cy Phone Num:616-726-3171

CAGE:BURDI

=== Contractor Identification ===

Company Name:BURDICK & JACKSON, INC.

Address:1953 S. HARVEY STREET

Box:City:MUSKEGON

State:MI

ZIP:49442

Country:US

Phone:616-726-3171

CAGE:BURDI

Company Name:HONEYWELL, BURDICK AND JACKSON

Address:1953 S HARVEY STREET

Box:City:MUSKEGON

State:MI

ZIP:49442-6101

Country:US

Phone:800-368-0050/800-707-4555

CAGE:2H215

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHYL ACETATE (SARA III)

CAS:14

1-78-6
RTECS #:AH5425000
Fraction by Wt: >85%
OSHA PEL:400 PPM
ACGIH TLV:400 PPM; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
Hazards Identification
=====

Effects of Overexposure:IRRITATION OF EYES,NOSE,AND THROAT;SLOW AND GRADUAL ONSET OF NARCOSIS.

=====
First Aid Measures
=====

First Aid:EYE: FLUSH WITH WATER 15 MINUTES. SKIN: REMOVE CONTAMINATED CLOTHING AND WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: INDUCE VOMITING,CALL A PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point:56F/13C (TOC)
Lower Limits:2.5
Upper Limits:9.0
Extinguishing Media:DRY CHEM,CO*2 FOR SMALL FIRE;FOAM FOR LARGE FIRE
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS

=====
Accidental Release Measures
=====

Spill Release Procedures:FLUSH WITH LARGE VOLUMES OF WATER. DIKE LARGE SPILLS AND DUMP TO SALVAGE TAN KS. CONTACT AUTHORITES IN THE EVENT OF MAJOR SPILLS.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP AWAY FROM HEAT,SPARKS,AND OPEN FLAMES. AVOID EYE AND SKIN CONTACT. USE NONSPARKING TOOLS.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NIOSH/MSHA APPROVED RESP DEVICE IN ACCORD WITH EXPOSURE OF CONCERN.
Ventilation:LOCAL
Protective Gloves:RUBBER
Eye Protection:CHEM SAFETY GOGGLE

S

Other Protective Equipment:EYE BATH AND SAFETY SHOWER

Supplemental Safety and Health

CELANESE CHEM CO MFR'S RAW MATERIAL,BURDICK & JACKSON LAB,REFINES TO
DESIRED PCT,SPEC AND GRADE. CONTAINER SIZE: 1 GAL BOTTLE

===== Physical/Chemical Properties =====

HCC:F3

Boiling Pt:B.P. Text:170F/76C

Vapor Pres:69

Vapor Density:3.04

Spec Gravity:0.90

Evaporation Rate & Reference:6.15 (BUTYL ACET)

Solubility in Water:APPRECIABLE

Appearance and Odor:WATER-WHITE LIQUID;ES

TERIC,FRUITY ODOR

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Hazardous Decomposition Products:CARBON MONOXIDE,CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN A FURNACE OR BY METHODS CONSISTENT
WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling
agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.