

THREE BOND OF AMERICA,INC -- GRADE H,BROWN -- 8030-00-081-2326

=====
Product Identification
=====

Product ID:GRADE H,BROWN

MSDS Date:01/01/1987

FSC:8030

NIIN:00-081-2326

MSDS Number: BCXVZ

=== Responsible Party ===

Company Name:THREE BOND OF AMERICA,INC

Emergency Phone Num:213-556-3614

CAGE:DO698

=== Contractor Identification ===

Company Name:MILITARY SPECIFICATIONS PROMULGATED BY MILITARY

Address

s:DEPTS/AGENCIES UNDER AUTH OF DEF STD

Box:MANUAL

City:4120 3-M

Phone:804-279-4371 DSN 695-4371

CAGE:81349

Company Name:THREE BOND OF AMERICA, INC

Address:20815 HIGGINS COURT

Box:City:TORRANCE

State:CA

ZIP:90501

Phone:800-424-9300 CHEMTREC

CAGE:DO698

=====
Composition/Information on Ingredients
=====

Ingred Name:EPOXYLATED BISPHENOL DIMETHACRYLATE

Fraction by Wt: 50%

Ingred Name:ALIPHATIC ESTER PLASTICIZER

Fraction by Wt: 48%

Ingred Name:TERTIARYAMINE

Fraction by Wt: 1%

In

Product Name: CATALYST
Fraction by Wt: 1%

===== Hazards Identification =====

Effects of Overexposure: EYE & SKIN IRRITANT. EFFECT CAN BE DELAYED. POTENTIAL SKIN SENSITIZER. SLIGHTLY TOXIC (ACUTE ORAL TOXICITY)

===== First Aid Measures =====

First Aid: IN CASE OF CONTACT, FLUSH SKIN WITH PLENTY OF WATER; FOR EYES, FLUSH WITH WATER FOR AT LEAST 15 MIN. & SEEK MEDICAL ATTENTION. WASH CONTAMINATED CLOTHING BEFORE RE-USE. (DISCARD CONTAMINATED SHOES).

===== Fire Fighting Measures =====

Flash Point: >200F >93C
Extinguishing Media: FOAM, CARBONDIOXIDE OR DRY CHEMICAL, WATER SPRAY.
Fire Fighting Procedures: EVACU. AREA OF ALL NON-EMERGENCY PERSONNEL (SEE SUPPLEMENTAL)
Unusual Fire/Explosion Hazard: RAPID & VIOLENT POLYMERIZATION MAY OCCUR AT ELEVATED TEMP; CONTAINERS MUST BE COOLED WITH WATER STREAMS

===== Accidental Release Measures =====

Spill Release Procedures
: AVOID EYE OR SKIN CONTACT OR ORAL INGESTION. WEAR PROTECTIVE EQUIPMENT AS DESCRIBED IN SECTION VIII BELOW. WASH AREA THOROUGHLY & COLLECT MATERIAL FOR INCINERATION.

===== Handling and Storage =====

Handling and Storage Precautions: STORE IN A COOL PLACE IN ORIGINAL CONTAINER; KEEP OUT OF DIRECT SUNLIGHT. THE EMPLOYER SHOULD PROVIDE A CHANGE OF CLOTHING & SHOES WHICH ARE TO BE AIRED OUT
Other Precautions: (REF ABOVE) DAILY & WASH FREQUENTLY; DISCARD THESE ITEMS IF CONTAMINATED BY A SPILL. AT THE END OF A SHIFT BEFORE CHANGING CLOTHES, WORKER SHOULD TAKE A HOT-TO-COLD SHOWER TO REMOVE ANY TRACE OF VAPOR

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NO SPECIAL VENTILATION REQUIRED
Ventilation: LOCAL EXHAUST PREFERRED. MECH. (GEN.), NORMAL VENTIL. ADEQUATE WITH
Protective Gloves: IMPERVIOUS GLOVES
Eye Protection: CHEM. SAFETY GOGGLES
Other Protective Equipment: IMPERVIOUS OVERSHOES & PROTECTIVE CLOTHING

pplemental Safety and Health

FIRE FIGHTERS MUST WEAR SELF-CONTAINED BREATHING APPARATUS(SUCH AS SCOTT AIR PAK).KEEP ALL EXPOSED CONTAINERS,WHICH ARE NOT IGNITED,COOLED DOWN W/FIRE HOSES TO PREVENT VIOLENT POLYMERIZATION.I

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:EST.@760MMH

Vapor Density:HEAV

Evaporation Rate & Reference:SLOWER THAN ETHER

Percent Volatiles by Volume:0.5

===== Stability and Reactivity Data ==

=====

Stability Indicator/Materials to Avoid:NO

PEROXIDES OR OTHER STRONG OXIDIZING

Stability Condition to Avoid:TEMP.ABOVE 90F,PROLONGED EXPOS. TO LIGHT,OPEN FLAME,METAL

Hazardous Decomposition Products:AGENTS,IRON RUST,STRONG BASES,CARBON MONOXIDE,CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:CHEMICAL INCINERATOR

Disclaimer (provided with this information by the compiling agencies):

This information is formulat

ed for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.