

CORONADO PAINT CO -- PRIMER COATING -- 8010-00-082-2450

=====
Product Identification
=====

Product ID:PRIMER COATING

MSDS Date:01/01/1987

FSC:8010

NIIN:00-082-2450

MSDS Number: BCXYT

=== Responsible Party ===

Company Name:CORONADO PAINT CO

Address:308 OLD COUNTY RD

Box:308

City:EDGEWATER

State:FL

ZIP:32032-1812

Country:US

Info Phone Num:904-428-6461 / FAX 904-427-7130

Emergency Phone Num:904-428-

6461

CAGE:33200

=== Contractor Identification ===

Company Name:CORONADO PAINT COMPANY, INC.

Address:308 OLD COUNTY ROAD

Box:City:EDGEWATER

State:FL

ZIP:32132-1812

Country:US

Phone:904-428-6461

CAGE:33200

=====
Composition/Information on Ingredients
=====

Ingred Name:STRONTIUM CHROMATE (SARA III)

CAS:7789-06-2

RTECS #:GB3240000

Fraction by Wt: 11.4%

OSHA PEL:0.1 PPM CRO3;CEILING

ACGIH TLV:0.0005MG CR/M3;A2;93

EPA Rpt Qty:10 LBS

DOT Rpt Qty:10 LBS

Ingred Name:POLYAMIDE RESIN

F

raction by Wt: 7.6%

Ingred Name:EPOXY RESIN

CAS:25068-38-6

RTECS #:KD4380000

Fraction by Wt: 14.0%

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 8.0%

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

=====
===== Hazards Identification =====

Effects of Overexposure:IRRITATION OF EYES,NOSE AND THROAT.
HEADACHE,INTOXICATION & DROWSINESS MAY OCCUR.DRYING OF SKIN

=====
===== Fir
st Aid Measures =====

First Aid:IN CASE OF CONTACT,FLUSH THOROUGHLY WITH WATER. FOR
INHALATION,REMOVE TO FRESH AIR AND ADMINISTER OXYGEN. CALL
PHYSICIAN. SKIN CONTACT:WASH WITH MILD SOAP & WATER,APPLY A MILD
SKIN CREAM,INSEVERE CASE SE,CONTACT A PHYSICIAN

=====
===== Fire Fighting Measures =====

Flash Point:35F SETA

Lower Limits:1.0

Upper Limits:7.0

Extinguishing Media:CO2 OR DRY CHEMICAL EXTINGUISHER OR FOAM

Fire Fighting Procedures:

DO NOT ENTER ENCLOSED OR CONFINED SPACES
WITHOUT PROTECTIVE

Unusual Fire/Explosion Hazard:EQUIP.DO NOT USE WATER,EXCLUDE
AIR,CONSULT FIRE MR.VAPOR FORMS EXPLOSIVE MIXTURE WITH AIR BETWEEN
LM

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCE OF IGNITION. AVOID BREATHING
OF VAPORS OR CONTACT WITH EYES. CONTAIN SPILL IN A DIKED AREA TO
MINIMIZE VAPORS.

=====
===== Handling and Storage =====

===

Handling and Storage Precautions:DO NOT STORE ABOVE 100F. IF NECESSARY TO TRANSFER CONTENTS TO ANOTHER CONTAINER, GLASS, PLASTIC, SPECIAL LINED STEEL OR TIN ARE ACCEPTABLE

Other Precautions:OTHER HANDLING IN ACCORDANCE WITH NFPA BULLETIN 30 AND 77. AVOID PROLONGED OR REPEATED PERSONAL CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHERE HIGH CONCENTRATIONS OF VAPOR EXIST, USE ALL PURPOSE CANISTER

Ventilation:LOCAL EXHAUST-FR OM FLOOR AND LOW AREA

Protective Gloves:IMPERMABLE CHEM

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:APRON, BARRIER CREME

Supplemental Safety and Health

ALL ELECTRICAL EQUIPMENT MUST BE EXPLOSION-PROOF

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:230F

Vapor Pres:23

Vapor Density:3.2

Spec Gravity:1.084

Evaporation Rate & Reference:FASTER THAN NBUACT

Solubility in Water:NEGLIGIBLE

Appearance and Odor:LIGHT YELLOW OPAQUE LIQUID.

AROMATIC ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIALS

Stability Condition to Avoid:EXCESSIVE HEAT, SPARKS OPEN FLAMES

Hazardous Decomposition Products:CARBON MONOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:IF CUSTOM DISPOSAL SERVICE NOT AVAILABLE, LARGE QUANTITIES MAY BE BURNED IN A COMBUSTION CHAMBER BY A COMPETENT ENGINEER.

Disclaimer (prov

ided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.