View NSN Online: https://aerobasegroup.com/nsn/7510-00-105-0071 INDEPENDENT INK, INC. -- WARNOW -- 7510-00-105-0071 ============= Product Identification ======================== Product ID:WARNOW MSDS Date:01/01/1985 FSC:7510 NIIN:00-105-0071 MSDS Number: BCYSS === Responsible Party === Company Name: INDEPENDENT INK, INC. Emergency Phone Num:213-321-0181 CAGE:GO819 === Contractor Identification === Company Name: INDEPENDENT INK INC Address:14705 S AVALON BLVD Box:City:GARDENA State:CA ZΙ P:90248-2009 Country:US Phone:310-523-4657 CAGE:12744 Company Name: INDEPENDENT INK, INC Address:14705 S AVALON BLVD Box:City:GARDENA State:CA ZIP:90248-2009 Country:US CAGE:GO819 ======= Composition/Information on Ingredients ======== Ingred Name: CARBITOL ACETATE (DIETHYLENE GLYCOL MONOETHYL ETHER ACETATE) 20-25%

CAS:112-15-2

RTECS #:KK8925000

Ingred Name: HEXYL CARBITOL (DIETHYLENE GLYCOL MONOHEXYL ETHER) 2-4%

CAS:112-59-4

RTECS #:KL2625000

| ====== Hazards Identification ============ |
|--|
| Effects of Overexposure:SKIN: IRRITANT. |
| ====================================== |
| First Aid:SKIN: REMOVE EXCESS, WASH W/ SOAP & WATER. EYE: REMOVE EXCESS IMMED FLUSH W/ WATER FOR 15 MIN. CONSULT MD IF DISCOMFORT PERSISTS. INHAL: REMOVE TO FRESH AIR, KEEP WARM & QUIET. |
| ====================================== |
| Flash Point:225;107C, OC Extinguishing Media:CO*2, DRY CHEM, FOAM Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:MODERATE FIRE HAZARD WHEN EXPOSED TO HEAT. |
| ========= Accidental Release Measures ========== |
| Spill Release Procedures:COVER W/ ABSORBENT MATERIAL & REMOVE TO WASTE CONTAINERS. AVOID SPARKS & FLAMES. PROVIDE ADEQUATE VENT. |
| ============= Handling and Storage ============== |
| Handling and Storage Precautions:STORE IN CLOSED CONTAINERS IN A COOL, DRY AREA. AVOID HEAT & OPEN FLAMES. USE ADEQU ATE VENT. |
| Other Precautions: AVOID BREATHING VAPORS OR SKIN CONTACT. |
| ====== Exposure Controls/Personal Protection ======== |
| Respiratory Protection:NIOSH/MSHA APPROVED HYDROCARBON VAP CANISTER OR AIR-PACK MASK. (MFR) Ventilation:LOCAL-PREFERRED. GENERAL-ACCEPTABLE. Protective Gloves:RUBBER/PLASTIC |
| Eye Protection:SFTY GLASSES Other Protective Equipment:HYDROCARBON-INSOLUBLE APRONS, EYE WASH, SFTY SHOWER |
| Supplemental Safety and Health VP: 0.05 MM BASED ON CARBITOL ACETATE. CON |

TAINER SIZE: 16 OZ CAN ========= Physical/Chemical Properties ==========

HCC:N1

Boiling Pt:B.P. Text:423F;217C Vapor Density:6.07 Spec Gravity:1.52 Evaporation Rate & Description Reference: