

LOCTITE CORP -- 290 ADHESIVE/SEALANT, 29021

=====
MSDS Safety Information
=====

FSC: 8030
NIIN: 00-111-2763
MSDS Date: 01/04/1994
MSDS Num: BCZBW
Product ID: 290 ADHESIVE/SEALANT, 29021
MFN: 01
Responsible Party
Cage: 7K128
Name: LOCTITE CORP
Address: 705 N MOUNTAIN RD
City: NEWINGTON CT 06111
Inf
o Phone Number: 203-278-1280
Emergency Phone Number: 203-278-1280
Preparer's Name: STEPHEN REPETTO
Published: Y

=====
Contractor Summary
=====

Cage: 7K128
Name: LOCTITE CORP
Address: 705 N MT RD
City: NEWINGTON CT 06111
Phone: 312-689-6200
Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT 06067-3910
Phone: 860-571-5100

=====
Item Description Information
=====

Item Manager: GSA
Item Name: SEALING COMPOUND
Specification Number: MIL-S-46163
Unit of Issue: BX
Quantitative Expression: 00000000010EA
UI Container Qty: 0

=====
Ingredients
=====

Cas: 25852-47-5
Name: POLYETHYLENE GLYCOL DIMETHACRYLATE
% Wt: 90-95
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)

Cas: 80-15-9
RTECS #: MX2450000
Name: HYDROPEROXIDE, ALPHA, ALPHA-DIMETHYLBENZYL-; (CUMENE HYDROPEROXIDE) (SARA 313) (CERCLA)
% Wt: 3-5
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)
EPA Rpt Qty: 10 LBS
DOT Rpt Qty: 10 LBS

Cas: 81-07-2
RTECS #: DE4200000
Name: 1,2-BENZISOTHIAZOLIN-3-ONE,1,1-DIOXIDE; (SACCHARIN (SARA 313) (CERCLA)
% Wt: 1-3
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)
EPA Rpt Qty: 100 LBS
DOT Rpt Qty: 100 LBS

Cas: 613-48-9
Name: N,N-DIALKYL TOLUIDINE
% Wt: 0.1-1
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)

RTECS #: 9999999VO
Name: VOLATILE ORGANIC CONTENT:12.6%, 134.82 G/L
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)
=====

Health Hazards Data
=====

LD50 LC50 Mixture: LD50:(ORAL,RAT)>1000 MG/KG
Route Of Entry Inds - Inhalation: YES
Skin: YES
Ingestion: YES
S
Carcinogenicity Inds - NTP: YES
IARC: YES
OSHA: NO
Effects of Exposure: ACUTE:MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS.
Explanation Of Carcinogenicity: SACCHARIN:IARC MONO, SUPP, VOL 7, PG 334, 1987:GROUP 2B. ANTICIPATED TO BE CARCIN (NTP) (FP N).
Signs And Symptoms Of Overexposure: SEE HEALTH HAZARDS.
Medical Cond Aggravated By Exposure: NONE KNOWN.
First Aid: INHAL:REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O*2/ARTF RESP) (FP N). INGEST:DO NOT INDUCE VOMIT.

KEEP INDIVIDUAL CALM. OBTAIN MED ATTN.

SKIN:WASH WITH SOAP & WATER. EYE:FLUSH AT LEAST 15 MINUTES WITH WATER.

=====
Handling and Disposal
=====

Spill Release Procedures: SOAK UP WITH AN INERT ABSORBENT. STORE IN PARTLY FILLED, CLOSED CONTAINER UNTIL DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: INCINERATE FOLLOWING EPA AND FEDERAL, STATE AND LOCAL REGULATIONS.

Handling And Storage Precautions: STORE BELOW 110F. AVOID PROLONGED SKIN CONTACT. KEEP AWAY FROM EYES.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: TCC

Flash Point Text: >200F,>93C

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL.

Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT (FP N).

Unusual Fire/Explosion Hazard: NONE.

=====
Control Measures
=====

Respiratory Protection: NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N).

Ventilation: NONE SPECIFIED BY MANUFACTURER.

Protective Gloves: NEOPRENE, RUBB, OR BUTYL RUBB GLOVES.

Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES (FP N).

Other Protective Equipment: EYE WASH FOUNTAIN AND DELUGE SHOWER MEETING ANSI DESIGN CRITERIA (FP N).

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health: NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

B.P. Text: >300F,>149C

Vapor Pres: <5 @ 80F

Spec Gravity: 1.07 @ 80F

Evaporation Rate & Reference: NOT KNOWN

Solubility in Water: SLIGHT

Appearance and Odor: G

REEN LIQUID, MILD ODOR

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.

Materials To Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: NONE.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT.
=====

Toxicological Informatio
n
=====

Ecological Information
=====

MSDS Transport Information
=====

Regulatory Information
=====

Other Information
=====

Transportation Information
=====

Responsible Party Cage: 7K128

Trans ID NO: 48048

Product ID: 290 ADHESIVE/SEALANT, 29021

MSDS Prepared Date: 01/04/1994

Review Date: 06/13/1995

MFN: 1

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: BX

Container QTY: 0

Additional Data: NOT REGULATED FOR

SHIPPING(SEALING COMPOUND).

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail IMO Information
=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

HAZCOM Label

=====
Product ID: 290 ADHESIVE/SEALANT, 29021

Cage: 7K128

Company Name: LOCTITE CORP

Street: 705 N MT RD

City: NEWINGTON CT

Zipcode: 06111

Health Emergency Phone: 203-278-1280

Label Required IND: Y

Date Of Label Review: 02/23/1995

Status Code: C

Label Date: 02/23/1995

Origination Code: G

Chronic Hazard IND: Y

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight

Contact Hazar

d: Slight

Fire Hazard: Slight

Reactivity Hazard: None

Hazard And Precautions: COMBUSTIBLE. ACUTE:MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS. CHRONIC:CANCER HAZARD. CONTAINS SACCHARIN, WHICH IS LISTED AS A URINARY TRACT CARCINOGEN (FP N).

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

The United States of A

merica in no manner whatsoever expressly or implied

warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professiona

l advice to verify

and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.