

DEXTER CORP, HYSOL DIVISION -- EA 9300 PART A -- 8040-00-111-6522

===== Product Identification =====

Product ID:EA 9300 PART A

MSDS Date:01/01/1985

FSC:8040

NIIN:00-111-6522

Kit Part:Y

MSDS Number: BCZDJ

=== Responsible Party ===

Company Name:DEXTER CORP, HYSOL DIVISION

Address:211 FRANKLIN ST.

City:OLEAN

State:NY

ZIP:14760-1297

Country:US

Info Phone Num:716-372-6300

Emergency Phone Num:716-372-6

309

CAGE:79436

=== Contractor Identification ===

Company Name:DEXTER CORP DEXTER ELECTRONIC MATERIALS

Address:15051 E DON JULIAN RD

Box:City:INDUSTRY

State:CA

ZIP:91746-1282

Country:US

Phone:626-968-6511

CAGE:79436

Company Name:DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV

Address:211 FRANKLIN ST.

Box:City:OLEAN

State:NY

ZIP:14760-1297

Country:US

Phone:716-372-6300/6309

CAGE:04347

===== Composition/Information on Ingredients =====

Ingred Name:EPOXY RESINS

Fraction by Wt: 58%

Ingred Name:ASBESTOS (AMIANTHUS, OBSOLETE AMOSITE), (FOR OSHA PEL, SEE  
29CFR 1910.1101)  
CAS:1332-21-4  
RTECS #:CI6475000  
Fraction by Wt: 14%  
OSHA PEL:0.2 FIBERS/CC  
ACGIH TLV:0.5 FIBERS/CC; A1;89  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:FILLERS  
Fraction by Wt: 28%

===== Hazards Identification =====

Effects of Overexposure:MAY CAUSE EYE IRRITATION, SKIN SENSITIZATION,  
OR PTHER ALLERGIC RESPONSES. SPI SKIN HAZARD CLASS 4.

===== First Aid Measures =====

First Aid:WASH SKIN IMMEDIATELY WITH SOAP AND WATER. FLUSH EYES  
IMMEDIATELY WITH PLENTY OF WATER.

===== Fire Fighting Measures =====

Flash Point:>200F, 93C CC  
Extinguishing Media:CHEMICAL FOAM, DRY CHEMICALS, CO\*2  
Unusual Fire/Explosion Hazard:DENSE SMOKE MAY BE LIBERATED

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE EXCESS-CLEAN WITH SOLVENTS.

===== Handling and Storage =====

Handling and Storage Precautions:FOLLOW RECOMMENDED STORAGE CONDITIONS:  
3 MONTHS AT 77F.  
Other Precautions:1 YEAR AT 40F; 2 YEARS AT 0F.

===== Exposure Controls/Personal Protection =====

Ventilation:LOCAL EXHAUST RECOMMENDED.  
Protective Gloves:RUBBER  
Eye Protection:SAFETY GLASSES OR GOGGLES  
Supplemental Safety and Health  
1 PART OF 2 COMPONENT SYSTEM SEE 8040 00 111 6522 P/N IND B KEY1:N1

===== Physic

al/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:DECOMPOSES

Spec Gravity:1.55

Evaporation Rate & Reference:NA

Solubility in Water:NEGLIGIBLE

Appearance and Odor:VISCOUS GREEN PASTE WITH SLIGHT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:NO

Stability Condition to Avoid:FOLLOW RECOMMENDED STORAGE CONDITIONS. SEE SECTION IX.

Hazardous Decomposition Products:COMPOUNDS OF CARBON AND NITROGEN.

Condi

ons to Avoid Polymerization:AVOID HEATING LARGE MASSES TOO HIGH IN TEMPERATURE.

===== Disposal Considerations =====

Waste Disposal Methods:LAND BURIAL

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.