

MEER CORP (TITE PAK INC-DISTR,9K580) -- COAL TAR SOLUTION, USP -- 6505-00-114-3010

=====  
Product Identification  
=====

Product ID:COAL TAR SOLUTION, USP

MSDS Date:01/01/1987

FSC:6505

NIIN:00-114-3010

MSDS Number: BCZJW

=== Responsible Party ===

Company Name:MEER CORP (TITE PAK INC-DISTR,9K580)

Address:319 W POPLAR ST

City:NORRISTOWN

State:PA

ZIP:19401-3236

Country:US

Emergency Phone Num:NONE

CAGE:K

O126

=== Contractor Identification ===

Company Name:MEER CORP (TITE PAK INC-DISTR,9K580)

Address:319 W POPLAR ST

Box:City:NORRISTOWN

State:PA

ZIP:19401-3236

Country:US

CAGE:KO126

Company Name:TITE PAK INC

Address:319 W POPLAR ST

Box:City:NORRISTOWN

State:PA

ZIP:19401-3236

Country:US

CAGE:9K580

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ETHYL ALCOHOL (ETHANOL)

CAS:64-17-5

RTECS #:KQ6300000

Fraction by Wt: 70.4%

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9192

In

gred Name:COAL TAR PITCH VOLATILES (BENZENE SOLUBLE FRACTION),  
ANTHRACENE, BAP, PHENANTRACENE, ACRIDINE, CHRYSENE, PYRENE.  
CAS:65996-93-2  
RTECS #:GF8655000  
Fraction by Wt: 23.7%  
OSHA PEL:0.2 MG/M3  
ACGIH TLV:0.2 MG/M3, A1; 9192

Ingred Name:POLYSORBATE 80, CAS 9005-65-6  
CAS:9005-65-6  
RTECS #:WG2932500  
Fraction by Wt: 5.9%

=====  
===== Hazards Identification =====

Effects of Overexposure:EYE:IRRIT.SKN:IRRIT.INHL:IRRIT,ASPHYX.INGEST:GI  
IRRIT,DEPRESS,DIZZ,STUPOR,NARC

=====  
===== First Aid Measures =====

First Aid:EYE:FLUSH 15 MIN W/AMPLE WATER.SKN:WASH SOAP &  
WATER.INHL:REMOVE TO FRESH AIR,ART RESP OR OXYGEN.INGEST:GIVE TWO  
GLASSES MILK OR ACT CHARCOAL SOLN,INDUCE VOMIT,IF CONSCIOUS,CALL  
PHYSICIAN ALL CASES IF SYMPTOMS PERSIST.

=====  
===== Fire Fighting Measures =====

Flash Point:63F/17C CC  
Extinguishing Media:STEAM,WATER FOG,CO\*2,FOAM,DRY CHEM.  
Fire Fighting Procedures:NONE  
Unusu  
al Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:AVOID CONTACT & INHAL FUMES.ELIMINATE SOURCES  
OF IGNITION.COLLECT SPILL W/ABSORBENT & PLACE IN CLOSED CONTAINER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED & AWAY FROM  
IGNITION SOURCES.AVOID INHL VAPORS OR SKN & EYE CONTACT.  
Other Precautions:COAL TAR IS KNOWN HUMAN CARCINOGEN.AVOID

ALL EYE,SKIN

CONTACT.FDA OTC DRUG PANEL HAS DECLARED THIS MATL UNSAFE FOR  
TOPICAL APPLICATION AS ANTI-FUNGAL

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE

Ventilation:LOCAL OR GENERAL AS REQD

Protective Gloves:IMPERVIOUS

Eye Protection:GOGGLES OR SAFETY GLASSES

Other Protective Equipment:FULL PROTECTIVE CLOTHING & APPROVED SKN  
CREAMS

Supplemental Safety and Health

ENTRY PER NON-OSHA MSDS DTD 25FEB85 BY TITE-PAK INC.(DISTR).(TLV FOR  
INGR 2 IS FOR BENZENE SOLUBLE COAL TAR PITCH VOLATILES,ACGIH).FDA  
OTC PANEL SAYS THIS MATL UNSAFE FOR TOPICAL APPLIC

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:78F

Spec Gravity:0.845

Appearance and Odor:BROWN LIQUID,AROMATIC ODOR

Percent Volatiles by Volume:>90

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

SOLVENTS

Stability Condition to Avoid:NONE

Hazardous Decompos

ition Products:CARBON OXIDES,AROMATIC VAPORS,MISTS

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN APPROVED FACILITY IAW ALL LAWS &  
REGS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liabi

lity for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.