

BF GOODRICH ADHESIVE SYS -- PL-106B, PART B, #2777020 -- 8030-00-138-1761

=====
Product Identification
=====

Product ID:PL-106B, PART B, #2777020

MSDS Date:01/01/1987

FSC:8030

NIIN:00-138-1761

MSDS Number: BDBHY

=== Responsible Party ===

Company Name:BF GOODRICH ADHESIVE SYS/AKRON, OH 44318

Emergency Phone Num:(216) 374-2824

CAGE:BFGAD

=== Contractor Identification ===

Company Name:BF GOODRICH ADH

ESIVE SYSTEMS

Address:123 WEST BARTGES ST. D/1932/1904

City:AKRON

State:OH

ZIP:44311

Country:US

Phone:216-374-2824(CLIFF PEARSON)

CAGE:BFGAD

Company Name:BF GOODRICH CO

Address:3925 EMBASSY PKY

Box:5471

City:AKRON

State:OH

ZIP:44313-0471

Country:US

Phone:216-374-3985

CAGE:25472

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHYL ALCOHOL (ETHANOL)

CAS:64-17-5

RTECS #:KQ6300000

Fraction by Wt: 30%

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9192

Ingred Name:ACETONE

(SARA III)
CAS:67-64-1
RTECS #:AL3150000
Fraction by Wt: 30%
OSHA PEL:1000PPM
ACGIH TLV:750PPM/1000STEL;9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:CYANURIC ACID (VAPOR PRESSURE = 6)
CAS:108-80-5
RTECS #:XZ1800000
Fraction by Wt: 10%
ACGIH TLV:1 MG/CUM

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 30%
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)
CAS:
1330-20-7
RTECS #:ZE2100000
Fraction by Wt: 5%
OSHA PEL:100 PPM/150 STEL
ACGIH TLV:100 PPM/150STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Effects of Overexposure:HEADACHE, NAUSEA, LOSS OF COORDINATION,
DIZZINESS, UNCONSCIOUSNESS, AND EVEN ASPHYXIATION.

===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. SKIN: REMOVE CONTAMINATED
CLOTHING/LAUNDER BEF

ORE REUSE. WASH AFFECTED AREA W/SOAP & WATER.

EYE: FLUSH W/WATER FOR AT LEAST 15 MINUTES. INGESTION: DO NOT INDUCE VOMITING. CALL A PHYSICIAN IMMEDIATELY.

=====
Fire Fighting Measures
=====

Flash Point:0F TCC

Lower Limits:1%

Extinguishing Media:WATER FOG, CO2, FOAM, DRY CHEMICAL

Fire Fighting Procedures:DON'T ENTER CLOSED AREA W/OUT PROTECTIVE EQUIPMENT/SCBA.

Unusual Fire/Explosion Hazard:VAPORS MAY BUILD UP IN POORLY VENTILATED AREAS/BE IGNITED, CAUSING FLASH FIRES OR EXPLOSIONS.

=====
Accidental Release Measures
=====

Spill Release Procedures:ELIMINATE ALL IGNITION SOURCES/PROVIDE ADEQUATE VENTILATION/AVOID BREATHING VAPORS/AID EYE & SKIN CONTACT. WIPE UP WITH RAGS/PAPER/OTHER ABSORBENT. PLACE IN UNUSABLE CLOSED CONTAINERS FOR DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:USE ONLY IN A WELL VENTILATED AREA. ELIMINATE ALL SOURCES OF IGNITION SUCH AS SPARKS/FLAMES/NOEXPLORATION PROOF DEVICES.

Other Precautions:AVOID PROLONGED/REPEATED SKIN CONTACT OR BREATHING OF VAPORS. KEEP OUT OF THE REACH OF CHILDREN. STORE IN TIGHTLY CLOSED CONTAINERS, IN A COOL DRY PLACE/AWAY FROM ALL SOURCES OF IGNITION/HEAT

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:>TLV, USE NIOSH APPROVED RESPIRATOR FOR ORGANIC VAPORS.

Ventilation:PROVIDE LOCAL EXHAUST VENTILATION TO KEEP BELOW TLV

Protective Gloves:IMPERVIOUS

Eye Protection:CHEMICAL GOGGLES

Supplemental Safety and Health

MSDS DATE: 19 FEB 86. WGT PER GAL: 7.14 PDS. KEY1:F2.

=====
Physical/Chemical Properties
=====

HCC:F2

Boiling Pt:B.P. Text:133-317F

Vapor Density:>AIR

Evaporation Rate & Reference:N-BUTYL ACETATE

Appearance and Odor:CLEAR LIQUID.

Percent Volatiles by Volume:92%

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid

id:YES

STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products:CO₂, CO, SMOKE, ALIPHATICS, AND OTHERS

===== Disposal Considerations =====

Waste Disposal Methods:THIS MATERIAL IF DISCARDED, IS HAZARDOUS/MUST BE PROPERLY STORED, TRANSPORTED/DISPOSED OF IN ACCORDANCE WITH APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.