

ACHESON COLLOIDS COMPANY -- EMRALON 310 A COMP -- 8010-00-138-8545

=====
Product Identification
=====

Product ID:EMRALON 310 A COMP

MSDS Date:08/29/1988

FSC:8010

NIIN:00-138-8545

MSDS Number: BDBKC

=== Responsible Party ===

Company Name:ACHESON COLLOIDS COMPANY

Address:NONE

Box:611747

City:PORT HURON

State:MI

ZIP:48061

Info Phone Num:(313) 984-5581

Emergency Phone Num:(313) 984-5581

CAGE:70079

==

= Contractor Identification ===

Company Name:ACHESON COLLOIDS CO DIV OF ACHESON INDUSTRIES INC

Address:1600 WASHINGTON AVE

Box:611747

City:PORT HURON

State:MI

ZIP:48061-1747

Country:US

Phone:800-255-3924

CAGE:70079

=====
Composition/Information on Ingredients
=====

Ingred Name:WATER, H2O

CAS:7732-18-5

RTECS #:ZC0110000

Ingred Name:ETHYLENE, TETRAFLUORO- POLYMER (POLYTETRAFLUOROETHYLENE),
PTFE

CAS:116-14-3

RTECS #:KX4025000

=====
Hazards Identification

=====
Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: NO ACUTE EFFECTS EXPECTED
WITHIN EXPOSURE LIMITS. INGESTION: CAN CAUSE GASTROINTESTINAL
IRRITATION, NAUSEA, VOMITING, DIARRHEA. EYE: MAY CAUSE TEMPORARY
EYE IRRITATION. SKIN: NOT APPLICABLE.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:INGESTION: CAN CAUSE GASTROINTESTINAL
IRRITATION, NAUSEA, VOMITING, DIARRHEA. EYE: MAY CAUSE TEMPORARY
EYE IRRITATION.

=====
First Aid Measures

First Aid:EYES: FLUSH WITH WATER FOR 15 MIN. SKIN: WASH WITH SOAP AND
WATER; REMOVE CONTAMINATED CLOTHING & LAUNDRY BEFORE REUSE.
INHALATION: IF AFFECTED, REMOVE TO FRESH AIR. INGESTION: KEEP
INDIVIDUAL CALM & SEEK MEDICAL ATTENTION IMMEDIATELY.

=====
Fire Fighting Measures

Extinguishing Media:NONE
Fire
Fighting Procedures:SELF-CONTAINED BREATHING SUPPLY.
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures

Spill Release Procedures:APPLY ABSORBENT MATERIAL & TRANSFER TO
CONTAINERS.

=====
Handling and Storage

Handling and Storage Precautions:AVOID CONTAMINATION OF CIGARETTE OR
OTHER SMOKING MATERIAL.

=====
Exposure Controls/Personal Protection

Respiratory Protection:IF

TLV IS EXCEEDED, A MECHANICAL OR
SELF-CONTAINED BREATHING APPARATUS IS ADVISED.
Ventilation: PROVIDE SUFFICIENT LOCAL EXHAUST VENTILATION TO KEEP