

AKRON PAINT AND VARNISH INC -- GS-7126B BLACK,37038 WALKWAY COMPOUND,TY2 --  
5610-00-142-6525

===== Product Identification =====

Product ID:GS-7126B BLACK,37038 WALKWAY COMPOUND,TY2

MSDS Date:01/01/1985

FSC:5610

NIIN:00-142-6525

MSDS Number: BDBQT

=== Responsible Party ===

Company Name:AKRON PAINT AND VARNISH INC

Address:1390 FIRESTONE PARKWAY

City:AKRON

State:OH

ZIP:44301-1624

Country:US

Info Pho

ne Num:216-773-8911

Emergency Phone Num:216-773-8911

CAGE:70228

=== Contractor Identification ===

Company Name:AKRON PAINT AND VARNISH INC

Address:1390 FIRESTONE PARKWAY

City:AKRON

State:OH

ZIP:44301-1624

Country:US

Phone:216-773-8911

CAGE:70228

===== Composition/Information on Ingredients =====

Ingred Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:SE7555000

Fraction by Wt: 44.2%

OSHA PEL:100 PPM

Ingred Name:ASBESTOS (AMIANTHUS, OBSOLETE AMOSITE), (FOR OSHA

PEL, SEE  
29CFR 1910.1101)

CAS:1332-21-4  
RTECS #:CI6475000  
Fraction by Wt: 10.1%  
OSHA PEL:0.2 FIBERS/CC  
ACGIH TLV:0.5 FIBERS/CC; A1;89  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:2-BUTOXYETHANOL  
CAS:111-76-2  
RTECS #:KJ8575000  
Fraction by Wt: 0.4%  
OSHA PEL:S, 50 PPM  
ACGIH TLV:S, 25 PPM; 9293

Ingred Name:N-BUTYL ACETATE (SARA III)  
CAS:123-86-4  
RTECS #:AF7350000  
Fraction by Wt: 1.7%  
OSHA PEL:150 PPM/200 STEL  
ACGIH TLV:150 PPM/200STEL;9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred N  
ame:NAPHTHA (PETROLEUM SPIRITS OR BENZIN)  
CAS:8030-30-6  
RTECS #:SE7555000  
Fraction by Wt: 0.3%  
OSHA PEL:100 PPM

=====  
Hazards Identification  
=====

Effects of Overexposure:PROLONG/REPEATD EXPOS POSS NAUSEA, HDACHE,LOSS  
OF CONSCIOUSNESS;RESP, EYE,SKIN IRRITANT; NARCOSSIS

=====  
First Aid Measures  
=====

First Aid:SKIN:WASH W/COMMERCIAL CLEANER,THEN SOAP & WATER; EYE: FLUSH  
PROMPTLY & THOROUGHLY W/H\*20 & SEE MD. INHAL

ATION:REMOVE TO FRESH  
AIR & USE OXYGEN IF NECESSARY. SEE MD

===== Fire Fighting Measures =====

Flash Point:50F(CC) (VM&P)  
Extinguishing Media:CARBON DIOXIDE, FOAM OR DRY CHEMICAL  
Fire Fighting Procedures:WATER SPRAY TO COOL CONTAINERS; SELF-CONTAINED  
BREATH NEEDED  
Unusual Fire/Explosion Hazard:HEAT MAY CAUSE DISRUPT. PRESSURE OF  
CONTAINERS; VAPORS MAY FORM EXPLOSIVE MIXTURE W/AIR; TOXIC FUMES

===== Accidental Release Measures =====  
=====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION; DAM-UP TO  
LIMIT SPREADING. ABSORB ON INERT MATERIAL. VENTILATE AREA.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT DROP CONTAINERS;AVOID HEAT,  
SPARKS & OPEN FLAME; STORE AT ROOM TEMPERATURE W/GOOD VENTILATION  
Other Precautions:AVOID PROLONGED INHALATION & BODY CONTACT; GROUND  
CONTAINER WHILE POURING; CONSULT NFPA CODE; DO NOT TAKE INTERNALLY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPRVD RESP PROTECT WHEN  
APPLY/SPRAY IN CONFINED AREA  
Ventilation:PROVIDE ADEQUATE VENTILATION & EXPLOSION-PROOF EQUIPMENT  
Protective Gloves:CHEM RESISTANT  
Eye Protection:SAFETY GOGGLE/FACE SHIELD  
Other Protective Equipment:NORMAL PROTECTIVE CLOTHING  
Supplemental Safety and Health  
ADD HAZARD INGRED: BUTYRALDEHYDE OXIME-0.5%; PREVIOUSLY LR-7126;  
CONFORMS TO MIL SPEC MIL-W-5044C

===== Physical/Chemical Properties =====

HCC:F2  
Boiling Pt:B.P. Text:240F (VM&P)  
Vapor Density:>1  
Evaporation Rate & Reference:SLOWER THAN ETHER  
Percent Volatiles by Volume:67.7

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
AVOID OXIDIZING AGENTS  
Hazardous Decomposition Products:COMBUSTION IN RESTRICTED AREA CAN  
PRODUCE CO & TOXIC FUMES  
Conditions to Avoid Polymerization:STORAGE OF WETTED COMBUSTIBLE

MTRL,MAY CAUSE SPONT COMBUSTN

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE W/STATE, FEDERAL & LOCAL REGULATIONS. DO NOT INCINERATE CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and di

claims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.