

TURCO PRODUCTS INC SUB ELF ATOCHEM NORTH AMERICA -- TURCO DY-CHEK REMOVER #3  
PSV -- 6850-00-142-8840

===== Product Identification =====

Product ID:TURCO DY-CHEK REMOVER #3 PSV

MSDS Date:01/01/1985

FSC:6850

NIIN:00-142-8840

MSDS Number: BDBRK

=== Responsible Party ===

Company Name:TURCO PRODUCTS INC SUB ELF ATOCHEM NORTH AMERICA

Address:7300 BOLSA AVE

Box:6200

City:WESTMINSTER

State:CA

ZIP:92684-3

600

Country:US

Info Phone Num:714-890-3600

Emergency Phone Num:714-890-3600

CAGE:61102

=== Contractor Identification ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

Company Name:TURCO PRODUCTS, INC. DIVISON OF ELF ATOCHEM NORTH AMERICA

Address:2000 MARKET ST

Box:City:PHILADELPHIA

State:PA

ZIP:19103-3222

Country:US

Phone:215-419-7890

CAGE:61102

===== Composition/Information

on Ingredients =====

Ingred Name:ALIPHATIC PETROLEUM SOLVENT

Fraction by Wt: 70%

ACGIH TLV:350 PPM

Ingred Name:1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113) (SARA III)

CAS:76-13-1

RTECS #:KJ4000000

Fraction by Wt: 30%

OSHA PEL:1000PPM/1250STEL

ACGIH TLV:1000PPM/1250STEL9192

Ozone Depleting Chemical:1

Ingred Name:CARBON DIOXIDE

CAS:124-38-9

RTECS #:FF6400000

OSHA PEL:5000 PPM

ACGIH TLV:5000PPM/30000STEL;93

===== Hazards Identification =====

Effects of Overexposure:EYES:MODERATE IRRITATION;SKIN:MILD IRRITATION;INGESTION;NAUSEA DIZZINESS;INHAL:GIDDINESS

===== First Aid Measures =====

First Aid:SKIN/EYES; FLUSH W/WATER;IF IRRITATION PERSISTS,CALL A DR. INGEST: DO NOT INDUCE VOMITING;CALL A DR.INHAL: REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT ADMINISTER OXYGEN.DO NOT GIVE EPINEPHRINE OR S IMILIAR DRUGS.

===== Fire Fighting Measures =====

E

xtinguishing Media:NONE

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:CONTENTS UNDER PRESS; TEMP. >120 F MAY CAUSE CAN BURSTING; AVOID CONTACT W/WELDING ARCS & FLAMES

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA- ESPECIALY LOW PLACES WHERE HEAVY VAPORS MIGHT COLLECT. SOAK UP ON ABSORBENT MATERIALS. SWEEP INTO SEALABLE CONTAINERS

===== Handling and Storage =====

Handling

and Storage Precautions:STORE CONTAINERS IN A CLEAN DRY  
AREA,AWAY FROM SUNLIGHT.DO NOT STORE ABOVE 120 F.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE AIR MASK IN HI-CONC. OR CONFINED AREAS.  
Ventilation:LOCAL EXHAUST:WHEN LARGE AMTS. RELEASED; MECHAN:IN LOW PLAC  
Eye Protection:GOGGLES  
Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

HCC:V2  
NRC/State Lic Num:NOT RELEVANT  
Boiling Pt:=47.8C  
, 118.F  
Vapor Pres:100  
Vapor Density:>1.  
Spec Gravity:0.918  
Evaporation Rate & Reference:(BU.AC.=1) < 1.  
Solubility in Water:NIL.  
Appearance and Odor:CLEAR LIQUID,MILD ODOR.  
Percent Volatiles by Volume:100

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
ALKALI OR ALKALINE EARTH METALS-POWDERED AL,ZN, BERYLIUM,ET  
Stability Condition to Avoid:OPEN FLAMES OR HIGH TEMPERATURES  
Hazardous Decomposition Products:HYDRO CHLORIC & HYDROF  
LUORIC ACIDS -  
POSSIBLE PHOSGENE

=====  
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN APPROVED LANDFILL IAW APPLICABLE  
FEDERAL,STATE, OR LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
d

isclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.