

THREE BOND OF AMERICA,INC. -- TB1743 -- 8040-00-142-9193

===== Product Identification =====

Product ID:TB1743

MSDS Date:12/04/1985

FSC:8040

NIIN:00-142-9193

MSDS Number: BDBSH

=== Responsible Party ===

Company Name:THREE BOND OF AMERICA,INC.

Address:20815 HIGGINS COURT

City:TORRANCE

State:CA

ZIP:90501

Info Phone Num:213-320-3342

Emergency Phone Num:213-320-3342

CAGE:60859

=== Contractor Identific

ation ===

Company Name:THREE BOND OF AMERICA,INC.

Address:20815 HIGGINS COURT

Box:City:TORRANCE

State:CA

ZIP:90501

Country:US

Phone:310-320-3342

CAGE:60859

===== Composition/Information on Ingredients =====

Ingred Name:ETHYL CYANOCRYLATE

CAS:7085-85-0

Fraction by Wt: 95-99%

Ingred Name:POLYMETHACRYLATE

CAS:9011-14-7

Fraction by Wt: 1-5%

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards A

cute and Chronic:SEE SIGNS & SYMPTOMS OF OVEREXPOSURE.

Effects of Overexposure:MAY IRRITATE EYES,BOND SKIN INSTANTLY,HAZARDOUS IF SWALLOWED.MODERATELY TOXIC IF SWALLOWED BECAUSE MATERIAL SOLIDIFIES INDIDE..

Medical Cond Aggravated by Exposure:NONE NOTED

===== First Aid Measures =====

First Aid:SKIN CONTACT:REMOVE VICTIM & FLUSH SKIN WITH MILD SOAPY WATER;EYE CONTACT & INGESTION:CALL PHYSICIAN IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point:181F(83C)

Extinguishing Media:FOAM,CO*2,DRY CHEMICAL

Fire Fighting Procedures:USE WATER SPRAY TO COOL BURNING SURFACES & EXCLUDE AIR.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP IMMEDIATELY & SAFELY DISCARD SATURATED ABSORBENTS.

===== Handling and Storage =====

Handling and Storage Precautions:USE WITH ADEQUATE VENTILATION.AVOID

PROLONGED BREATHING OF VAPOR & REPEATED CONTACT WITH SKIN

Other Precautions:KEEP AWAY FROM OPEN FLAME & EXCESSIVE HEAT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA-APPROVED RESPIRATOR.

Ventilation:LOCAL EXHAUST

Protective Gloves:IMPERVIOUS

Eye Protection:CHEMICAL SAFETY GOGGLES

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

THIS MATERIAL IS TYPE II. TIR ERRONEOUSLY SHOWS TYPE I.

===== Physical/Chemical Properties =====

HCC:V4

Vapor Pres:2

Vapor Density:>1

Viscosity:1-70CPS

Evaporation Rate & Reference: