

GASCO GASOLINE,INC -- UNLEADED REGULAR GASOLINE -- 9130-00-148-7103

=====  
Product Identification  
=====

Product ID:UNLEADED REGULAR GASOLINE

MSDS Date:04/01/1983

FSC:9130

NIIN:00-148-7103

MSDS Number: BDCLS

=== Responsible Party ===

Company Name:GASCO GASOLINE,INC

Address:2060 KNOLL DR

City:VENTURA

State:CA

ZIP:93003-2060

Country:US

CAGE:KO289

=== Contractor Identification ===

Company Name:GASCO G

ASOLINE INC

Address:2060 KNOLL DR

Box:City:VENTURA

State:CA

ZIP:93003-2060

Country:US

Phone:805-654-8084/800-424-9300(CHEMTREC)

CAGE:6W116

Company Name:GASCO GASOLINE,INC

Address:2060 KNOLL DR

Box:City:VENTURA

State:CA

ZIP:93003-2060

Country:US

CAGE:KO289

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PETROLEUM HYDROCARBONS (CONTAINS,ALIPHATIC,OLEFINIC &  
AROMATIC HYDROCARBONS,RNG C4-C10)

Fraction by Wt: 100%

ACGIH TLV:300PPM(MFR)

=====  
Ha

zards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:SKIN &EYES: IRRITATION, DRYNESS;  
DERMATITIS; INHALED: RESPIRATORY IRRITATION, DIZZINESS, NAUSEA, OR  
UNCONSCIOUSNESS, CENTRAL NERVOUS SYSTEM DEPRESSION (CNS).  
Explanation of Carcinogenicity:NO INGREDIENT LISTED IS LISTED AS A  
CARCINOGEN BY NTP, IARC, OR OSHA.  
Effects of Overexposure:SKIN & EYES:IRRI  
TATION,DRYNESS;DETERMATITIS;  
INHAL:RESP.IRRIT,DIZZINESS,NAUSEA;OR UNCONSCIOUSNESS,CNS  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHALED: REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF  
BREATHING STOPPED. GIVE OXYGEN IF BREATHING DIFFICULT. SEE DOCTOR.  
EYES: FLUSH WITH LOTS OF WATER FOR 15 MINUTES, HOLD LIDS OPEN. SEE  
DOCTOR. SKIN: REMOVE CONTAMINATED CLOTHES. WASH WITH  
SOAP AND  
WATER. INGESTED: DO NOT INDUCE VOMITING! GET IMMEDIATE MEDICAL  
ATTENTION.

===== Fire Fighting Measures =====

Flash Point:-45F/-43C (ASTM)  
Lower Limits:1.3  
Upper Limits:8.2  
Extinguishing Media:FOAM,DRY CHEMICAL AND CO2  
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA WITH FULL  
PROTECTION  
Unusual Fire/Explosion Hazard:HEATED CONTAINERS MAY RUPTURE VIOLENTLY;  
CREATE AN EXPLOSION HAZARD.

===== Accidental Release Measure

S =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION. STOP FLOW OF  
MATERIAL. REMOVE ALL SOURCES OF IGNITION. CONTAIN SPILL USING SAND  
OR ABSORBENT MATERIALS.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM SPARKS,OPEN FLAMES AND  
HEAT; KEEP CONTAINER CLOSED.USE ONLY WITH ADEQUATE  
VENTILATION.FOLLOW NATIONAL ELECTRIC CODES FOR ELECTRIC EQUIP  
Other Precautions:DO NOT EAT, DRINK, OR SMOKE

IN WORK AREA. TRANSFER  
OPERATIONS REQUIRE PROPER BONDING AND GROUNDING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE  
OR EMERGENCY CONDITIONS OCCUR; USE NIOSH/MSHA APPROVED RESPIRATOR  
OR SUPPLIED AIR RESPIRATOR OR SCBA, AS REQUIRED. USE IN ACCORDANCE  
WITH 29 CFR 1910.134.

Ventilation:USE ADEQUATE MECHANICAL (GENERAL) ROOM VENTILATION IS  
ADEQUATE. LOCAL EXHAUST MAY BE NEEDED IF USE  
AREA NOT VENTED.

Protective Gloves:NONE NORMALLY REQUIRED. SPILL: NITRILE

Eye Protection:NONE NORMALLY REQUIRED. SAFETY GLASSES

Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER SHOULD BE  
READILY AVAILABLE. INDUSTRIAL TYPE CLOTHING AND APRON IF SPILLS  
OCCUR.

Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING,  
DRINKING, OR SMOKING. LAUNDRY CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

MSDS DATED 4/1/83. HMIS RECORD UPDATED WHEN UNCLEAR INSTRUCTIONS  
IN 1ST

AID, AND CONTROLS SECTIONS FOUND BY FIELD UNIT (AF). UPDATED  
06/03/93.

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:0F,-18C

Vapor Pres:11 MM HG

Vapor Density:3.5(AIR=1)

Spec Gravity:0.74

Evaporation Rate & Reference:1.0 (ETHER=1)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COLORLESS LIQUID;GASOLINE ODOR

Percent Volatiles by Volume:95.0

===== Stability and Reactivity Data =====

Stabil

ity Indicator/Materials to Avoid: YES

STRONG OXIDIZERS, LIKE LIQ. O<sub>2</sub>, CL<sub>2</sub>

Stability Condition to Avoid: HIGH TEMP; SOURCES OF IGNITION, OPEN  
FLAME, HEAT

Hazardous Decomposition Products: INCOMPLETE COMBUSTION: CO GAS

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH  
LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated f

or use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.