

HYSOL DIV.,DEXTER CORP. -- EA9306 -- 8040-00-159-5151

=====
Product Identification
=====

Product ID:EA9306

MSDS Date:01/01/1985

FSC:8040

NIIN:00-159-5151

MSDS Number: BDDDN

=== Responsible Party ===

Company Name:HYSOL DIV.,DEXTER CORP.

Emergency Phone Num:415-687-4201

CAGE:KO347

=== Contractor Identification ===

Company Name:DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV

Address:211 FRANKLIN ST.

Box:City:OLEAN

State:NY

ZIP:14760-1297

Country:US

Phone:716-372-6300/6309

CAGE:04347

Company Name:HYSOL DIV.,DEXTER CORP.

CAGE:KO347

=====
Composition/Information on Ingredients
=====

Ingred Name:FILLERS

Fraction by Wt: 46.0%

Ingred Name:VEHICLE

Fraction by Wt: 50.0%

Ingred Name:CATALYST

Fraction by Wt: 4.0%

=====
Hazards Identification
=====

Effects of Overexposure:MAY CAUSE DKIN AND EYE IRRITATION

=====
First Aid Mea

asures =====

First Aid:WASH SKIN WITH SOAP AND WATER,FLUSH EYES IMMEDIATELY WITH H*2O.SOCIETY OF THE PLASTICS INDUSTRY,INC-SKIN HAZARD CLASS 2

===== Fire Fighting Measures =====

Flash Point:> 200 F 93 C TOC
Extinguishing Media:CHEMICAL FOAM,DRY CHEMICAL,CO*2

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE EXCESS. WIPE CLEAN WITH SOLVENTS.

===== Handling and Storage
=====

Handling and Storage Precautions:SHELF LIFE 1 YR. AT 75 F. STORE AT 40 F FOR EXTENDED STORAGE.
Other Precautions:READ PRODUCT LABELS.

===== Exposure Controls/Personal Protection =====

Ventilation:LOCAL EXHAUST RECOMMENDED
Protective Gloves:RUBBER
Eye Protection:SAFETY GLASSES OR SHIELD
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:DECOMPOSES
Spec Gravity:1.39
Solubi
lity in Water:NEGLIGIBLE
Appearance and Odor:VISCOUS GRAY PASTE WITH EPOXY ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Stability Condition to Avoid:WILL EXOTHERM WHEN EXPOSED TO EXCESSIVE TEMP.
Hazardous Decomposition Products:ALDEHYDES, ACIDS

===== Disposal Considerations =====

Waste Disposal Methods:CONTROLLED BURNING OR LANDFILL

Disclaimer (provided with this information by the co

mpiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.