View NSN Online: https://aerobasegroup.kr/nsn/3439-00-163-4347

GARDINER SOLDER CO DIV OF GARDINER METAL CO -- TIN-LEAD-ANTIMONY ALLOY

3439-00-163-4347

============= Product Identification =================

Product ID:TIN-LEAD-ANTIMONY ALLOY

MSDS Date:05/01/1990

FSC:3439

NIIN:00-163-4347

MSDS Number: BDDQZ === Responsible Party ===

Company Name: GARDINER SOLDER CO DIV OF GARDINER METAL CO

Address:4820 S CAMPBELL AVE

City:CHICAGO

State:IL

ZIP:60632-1416

Country:US

Info Phone Num

:312-847-0100

Emergency Phone Num:312-847-0100 Preparer's Name:TED VAN DER MOLEN

CAGE:56244

=== Contractor Identification ===

Company Name: GARDINER SOLDER CO, DIV OF GARDINER METAL CO

Address:4820 S CAMPBELL AVE

Box:City:CHICAGO

State:IL

ZIP:60632-1416

Country:US

Phone:312-847-0100/800-424-9300(CHEMTREC)

CAGE:56244

======= Composition/Information on Ingredients ========

Ingred Name:LEAD (SARA III)

CAS:7439-92-1

RTECS #:OF7525000 Fraction by Wt: SPEC.

Other REC Limits: NONE SPECIFIE

D

OSHA PEL:0.05 MG/M3;1910.1025 ACGIH TLV:0.15 MG/M3;DUST 9192

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name: ANTIMONY (SARA III)

CAS:7440-36-0

RTECS #:CC4025000 Fraction by Wt: 0.2-2.0%

Other REC Limits: NONE SPECIFIED

OSHA PEL:0.5 MG/M3

ACGIH TLV:0.5 MG SB/M3; 9192

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:TIN CAS:7440-31-5

RTECS #:XP7320000 Fraction by Wt: SPEC.20%

Other REC Limits: NONE SPECIFIED

OSHA PEL:2 MG/M3

ACGIH TLV:2 MG/M3; 9192

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO

Health Hazards Acute and Chronic:HEALTH STUDIES HAVE SHOWN THAT POTENTIAL HEALTH RISKS MAY VARY BY INDIVIDUAL. ALWAYS MINIMIZE EXPOSURE AS A PRECAUTION. SEE OSHA 29CFR1910.1025, SUBPART Z.

Explanation of Carcinogenicity:LEAD IS LISTED BY IARC AS A CARCINOGEN. Effects of Overexposure:METALLIC TASTE IN THE MOUTH. IRRITATION OF THE RESPIRATORY TRACT.

Medical Cond Aggravated by Exposure: RESPIRATORY/LUNG CONDITIONS.

First Aid:SKIN-FLUSH WITH WATER IMMEDIATELY. TREAT FOR BURNS, SEEK MEDICAL ATTENTION IF REQUIRED. EYES-FLUSH WITH WATER FOR 15 MINUTES, SEEK MEDICAL ATTENTION. INGEST-DRINK LARGE AMOUNTS OF WATER. SEEK MEDICAL ATTENTION. NEVER GIVE LIQUIDS TO UNCONSCIOUS PERSONS. INHALE-REMOVE TO FRESH AIR. SUPPORT RESPIRATION IF REQUIRED. SEEK MEDICAL ATTEN

TION.
======================================
Flash Point:NON FLAMMABLE Extinguishing Media:DRY CHEMICAL, DO NOT USE WATER. Fire Fighting Procedures:USE CONTAINED BREATHING APPARATUS ABOVE 1000C (1832F). Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures =========
Spill Release Procedures:COLLECT AND USE, IF CONTAMINATED OR IN SMALL PARTICULES, VACCUM OR COLLECT MATERIAL. NEVER USE ANY METHOD WHICH WILL GENERA TE DUST.
========== Handling and Storage ============
Handling and Storage Precautions:NO INFORMATION GIVEN ON MSDS BY SUPPLIER. Other Precautions:AVOID CONTACT WITH FUMES AND DUST.
====== Exposure Controls/Personal Protection ========
Respiratory Protection: DURING SOLDERING, TYPE: 0.03 MG/M3 - HALF-MASK; 2.5 MG/M3 - FULL FACE MASK; 50 MG/M3 - SELF-SUSTAINED RESPIRATORY SUIT.
Ventilation:LOCAL EXHAUST-PREFERRED, MECHANICAL-OK, SPECIAL HEPA
FILTERS REQUIRED. Protective Gloves:HEAT RESISTANT DURING SOLDERING. Eye Protection:SAFETY GOGGLES OR FACE SHIELD. Other Protective Equipment:AS REQUIRED TO AVOID CONTACT. Work Hygienic Practices:WASH AFTER USE. FOLLOW GOOD INDUSTRIAL HYGIENIC PORACTICE. Supplemental Safety and Health EXPOSURE TO LEAD IS REGULATED BY OSHA 1910.1025
========= Physical/Chemical Properties ==========
HCC:N1 Boiling Pt:B.P. Text:2516F,1380C Melt/Freeze Pt:M.P/F.P Text:361F,183C Vapor Pres:1

Solubility in Water:INSOLUBLE Appearance and Odor:SILVER GREY SOLID, ODORLESS.	
======== Stability and Reactivity Data =========	
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:NONE Hazardous Decomposition Products:TOXIC METAL FUMES ABOVE 1000C (1832F)	).
======== Disposal Considerations ===========	
Waste Disposal Methods:NEVER DISPOSE OF IN TRASH. HOLD FOR RECYCLIN DISPOSE O	G OR
F IN ACCORDANCE WITH FEDERAL, STATE & LOCAL LAWS AND REGULATIONS.	

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

MM

Spec Gravity:SOLID