

TECHALLOY MARYLAND INC, REID-AVERY DIV. -- MIL-11018-M WELDING ELECTRODE --  
3439-00-165-4167

===== Product Identification =====

Product ID:MIL-11018-M WELDING ELECTRODE

MSDS Date:11/01/1985

FSC:3439

NIIN:00-165-4167

MSDS Number: BDDSY

=== Responsible Party ===

Company Name:TECHALLOY MARYLAND INC, REID-AVERY DIV.

Address:2310 CHESAPEAKE AVE.

City:BALTIMORE

State:MD

ZIP:21222-4012

Emergency Phone N

um:301-633-9300

CAGE:59711

=== Contractor Identification ===

Company Name:TECHALLOY COMPANY, INC.

Address:2310 CHESAPEAKE AVENUE

Box:City:BALTIMORE

State:MD

ZIP:21222

Country:US

Phone:410-633-9300; 800-638-1458

CAGE:59711

===== Composition/Information on Ingredients =====

Ingred Name:IRON

CAS:7439-89-6

RTECS #:NO4565500

Ingred Name:MANGANESE (SARA III)

CAS:7439-96-5

RTECS #:OO9275000

OSHA PEL:(C) 5 MG/M3 DUST

ACGIH TLV:5 MG/M3 DUST 9293

Ingred Name:SILICON

CAS:7440-21-3

RT

ECS #:VW0400000  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:TITANIUM DIOXIDE  
CAS:13463-67-7  
RTECS #:XR2275000  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:CHROMIUM (SARA III)  
CAS:7440-47-3  
RTECS #:GB4200000  
OSHA PEL:1 MG/M3  
ACGIH TLV:0.5 MG/M3; 9192  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)  
CAS:1317-65-3  
RTECS #:EV9580000  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:NICKEL (SARA II  
I)  
CAS:7440-02-0  
RTECS #:QR5950000  
OSHA PEL:1 MG/M3  
ACGIH TLV:1 MG/M3; 9192

Ingred Name:POTASSIUM TITANATE  
CAS:12030-97-6

Ingred Name:SODIUM SILICATE  
CAS:6834-92-0  
RTECS #:VV9275000  
ACGIH TLV:5 MG/CUM

Ingred Name:FELDSPAR  
CAS:68476-25-5

Ingred Name:MOLYBDENUM  
CAS:7439-98-7  
RTECS #:QA4680000  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3; 9293

Ingred Name:COLUMBIUM  
CAS:7440-03-1  
OSHA PEL:5 MG/CUM  
ACGIH TLV:5 MG/CUM

Ingred Name:CALCIUM FLUORIDE  
CAS:7789-75-5  
RTECS #:EW1760000  
OSHA PEL:2.5 MG/M3

(F)  
ACGIH TLV:2.5 MG/M3 (F); 8990

Ingred Name:ALUMINUM SODIUM FLUORIDE (SODIUM FLUOALUMINATE OR CRYOLITE)  
CAS:15096-52-3  
RTECS #:WA9625000  
OSHA PEL:2.5 MG/M3 (F)  
ACGIH TLV:2.5 MG/M3 (F); 8990

Ingred Name:CHROMIUM (III) OXIDE  
CAS:1308-38-9  
RTECS #:GB6475000  
OSHA PEL:0.5 MG/M3 (CR)  
ACGIH TLV:0.5 MG/M3 (CR); 8990

Ingred Name:POTASSIUM SILICATE  
CAS:1312-76-1  
ACGIH TLV:5 MG/CUM

Ingred Name:POTASSIUM HYDROXIDE (SARA III)  
CAS:1310-58-3  
RTECS #:TT2100000  
OSHA PEL:C, 2 MG/M3  
ACGIH TLV:C 2 MG/M3; 919  
2  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO  
Health Hazards Acute and Chronic:ACUTE:MAY RESULT IN DISCOMFORT SUCH AS  
DIZZINESS,NAUSEA,DRYNESS OR IRRITATION OF NOSE,THROAT OR  
EYES,TIGHTNESS IN CHEST,FEVER & ALLERGIC REACTIONS. CHRONIC:MAY  
LEAD TO SIDEROSIS & IS BELIEVED BY SOME INVESTIGATORS TO AFFECT

PULMONARY FUNCTION.  
Explanation of Carcinogenicity:NICKEL & CHROMIUM ARE LISTED AS  
CARCINOGENIC.  
Effects of Overexposure:SEE "HEALTH HAZARDS".  
Medical Cond Aggravated by Exposure:NONE STATED

=====  
===== First Aid Measures =====

First Aid:REMOVE TO FRESH AIR.IF BREATHING IS DIFFICULT,ADMINISTER  
OXYGEN,IF BREATHING HAS STOPPED,APPLY ARTIFICIAL RESPIRATOR; GET  
MEDICAL HELP.

=====  
===== Fire Fighting Measures =====

Extingui

shing Media:USE PROPER MEDIA FOR SURROUNDING FIRE.  
Fire Fighting Procedures:NEED TO WEAR PROTECTIVE EQUIPMENT.  
Unusual Fire/Explosion Hazard:WELDING ARC & SPARKS CAN IGNITE  
COMBUSTIBLES.

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP OR SCOOP UP.

===== Handling and Storage =====

Handling and Storage Precautions:USE EXHAUST SYSTEM TO CLEAR WELDING  
FUMES.

===== Exposure Controls/Personal  
Protection =====

Respiratory Protection:USE RESPIRABLE FUME RESPIRATORY OR AIR SUPPLIED  
RESPIRATOR WHEN WELDING IN A CONFINED SPACE OR WHERE LOCAL EXHAUST  
OR VENTILATION DOES NOT KEEP EXPOSURE BELOW TLV.

Ventilation:USE ADEQUATE GENERAL VENTILATION & LOCAL EXHAUST AT THE  
ARC.

Protective Gloves:WELDER'S GLOVES

Eye Protection:HELMET/FACE SHIELD WITH FILTER LENS.

Other Protective Equipment:WEAR PROTECTIVE CLOTHING.

Supplemental Safety and Health

===== Physical/  
Chemical Properties =====

HCC:N1

Solubility in Water:INSOLUBLE

Appearance and Odor:SOLID WIRE OR ROD.

Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE

Stability Condition to Avoid:NONE STATED

Hazardous Decomposition Products:IT IS COMPLEX & CAN NOT BE CLASSIFIED  
EASILY,DEPENDING ON THE ELECTRODE USED,COATING & CONTAMINANTS IN  
THE ATMOSPHERE.

===== Disposal Co

nsiderations =====

Waste Disposal Methods:DISCARD ANY PRODUCT RESIDUE,DISPOSABLE CONTAINER  
OR LINER IN AN ENVIRONMENTALLY ACCEPTABLE MANNER.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing  
this

document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.