

3M GENERAL OFFICES -- SCOTCH-SEAL(TM)BRAND IND SEALANT 801 -- 8030-00-174-3199

===== Product Identification =====

Product ID:SCOTCH-SEAL(TM)BRAND IND SEALANT 801

MSDS Date:06/30/1987

FSC:8030

NIIN:00-174-3199

MSDS Number: BDFNS

=== Responsible Party ===

Company Name:3M GENERAL OFFICES

Address:3M CENTER

City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Info Phone Num:612-733-1110

Emergency Phone N

um:612-733-1110

CAGE:04963

=== Contractor Identification ===

Company Name:3M MINNESOTA MINING AND MFG CO ADHESIVES SEALERS DIV

Address:3M CTR

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:800-364-3577/651-737-6501(24 HOURS)

CAGE:04963

===== Composition/Information on Ingredients =====

Ingred Name:POLYSULFIDE RUBBER

Fraction by Wt:

Other REC Limits:

OSHA PEL:

ACGIH TLV:

Ingred Name:PHENOLIC RESIN

Fraction by Wt:

Other REC Limits:

OSHA PEL:

ACGIH TLV:

Ingred

Name:SILICA, AMORPHOUS, DUST  
CAS:112945-52-5  
RTECS #:VV7310000  
Fraction by Wt:  
Other REC Limits:20 MPPCF  
OSHA PEL:6 MG/M3  
ACGIH TLV:10 MG/M3; 8990

Ingred Name:CARBON BLACK  
CAS:333-86-4  
RTECS #:FF5800001  
Fraction by Wt:  
Other REC Limits:3.5 MG/CUM  
OSHA PEL:3.5 MG/CUM  
ACGIH TLV:3.5 MG/CUM

Ingred Name:MAGNESIUM ACETATE  
CAS:142-72-3  
RTECS #:AI5600000  
Fraction by Wt:  
Other REC Limits:  
OSHA PEL:  
ACGIH TLV:

Ingred Name:PETROLEUM DISTILLATE  
Fraction by Wt: 3.0%  
Other REC Limits:  
OSHA PEL:  
ACGIH TL  
V:

===== Hazards Identification =====

Effects of Overexposure:EYE:IRRITATION. SKIN: IRRITATION CONTACT W/  
SKIN WILL CAUSE EXTREME DIFFICULTY IN CLEAN UP. USE OF ABRASIVES OR  
SOLVENTS FOR CLEANUP COULD CAUSE SKIN DAMAGE. INHAL:NO HAZARD.VAPOR  
OVEREXPOSURE:RESP IR RITATION LIGHT-HEADEDNESS. SYMPTOMS  
HEADACHE,WEAKNESS,FATIGUE OR UNCONSCIOUSNESS. INGEST, DIGESTIVE  
SYSTEM IRRITATION.

===== First Aid Measures =====

=====

First Aid:EYE: FLUSH W/ LG AMTS OF H\*2O FOR AT LEAST 15 MIN CALL PHYS.  
SKIN:WASH THOROUGHLY W/ SOAP + H\*2O INHAL:REMOVE INDIVIDUAL TO  
FRESH AIR. CALL PHYSICIAN.INGEST:DO NOT INDUCE VOMITING.DRINK TWO  
GLASSES OF MILK OR H\*2O.CALL PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:7100F-37.78C  
Extinguishing Media:CO2,FOAM,DRY CHEM.  
Fire Fighting Procedures:FIRE FIGHTERS SHOULD BE EQUIPPED W/ SCBA.

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL.CLEAN UP RESIDUE + AREA OF  
SPILL.PLACE RESIDUE IN CONTAINER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT,SPARKS AND OPEN  
FLAME. USE ONLY WITH ADEQUATE VENTILATION TO REMOVE AND PREVENT  
VAPOR BUILD UP. KEEP CONTAINER CLOSED.  
Other Precautions:AVOID PROLONG BREATHING OF VAPORS AND PROLONGED OR  
REPEATED SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED RESP DEVICE IN ACCORD WITH  
EXPOSURE OF CONCERN  
Ventilation:USE ONLY IN AREAS W/ ENOUGH AIR MOVEMENT TO PREVENT VAPOR  
BUILD UP.  
Protective Gloves:IMPERVIOUS  
Eye Protection:CHEM GOGGLES  
Supplemental Safety and Health  
PART A OF A TWO PART KIT.KEY1:J1.

===== Physical/Chemical Properties =====

HCC:F4  
Spec Gravity:1.36  
Solubility in Water:LOW  
Appearance and Odor:BLACK

SULFUR ODOR

Percent Volatiles by Volume:3

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:CO,CO2,SULFUR COMPOUND

===== Disposal Considerations =====

Waste Disposal Methods:MAY BE DISPOSED OF IN A SANITARY LANDFILL  
ACCORDING TO LOCAL + CURRENT U.S.ENVIRONMENTAL PROTECTION AGENCY  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.