View NSN Online: https://aerobasegroup.com/nsn/8010-00-181-7568 TURCO PRODUCTS,INC. -- TURCO 5469 -- 8010-00-181-7568 ============= Product Identification ======================== Product ID:TURCO 5469 MSDS Date:10/31/1985 FSC:8010 NIIN:00-181-7568 MSDS Number: BDGKW === Responsible Party === Company Name: TURCO PRODUCTS, INC. Address:7300 BOLSA AVENUE City:WESTMINISTER State:CA ZIP:92684-3600 Info Phone Num:714-890-3600 Emergency Phone Num:614-387-6200 CAGE:D9808 === Contractor Identifi cation === Company Name: TURCO PRODUCTS, INC. Address:7300 BOLSA AVE Box:6200 City:WESTMINSTER State:CA ZIP:92684-3600 Country:US Phone:614-387-6200 CAGE:0BYN5 Company Name: TURCO PRODUCTS, INC. Box:6200 City:PHILADELPHIA State:PA ZIP:19103 Country:US Phone:215-419-7890 CAGE:D9808 ======= Composition/Information on Ingredients ======== Ingred Name: NO INGREDIENT FOR THIS FORMULATION\_INGREDIENT Reports of Carcinogen

icity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:EYES:VAPORS,MODERATE TO SEVERE IRRITATION.LIQUID,SEVERE DAMAGE,MAY CAUSE BLINDNESS;SKIN:CHEMICAL BURNS,POSSIBLE NECROSIS,DEFATTING.MAY BE ABSORBED THROUGH SKIN IN TOXIC AMOUNTS.CHROMATES ARE SKIN SENS

ITIZERS;INHALATION:DIZZINESS,HEADACHE,INTOXICATION.INHALATION OF MIST--CONTINUED ON SIGNS & SYMPTOMS OF OVEREXPOSURE--

Explanation of Carcinogenicity: CHROMIUM VI IS HUMAN CARCINOGEN BY IARC, NTP.

Effects of

Overexposure: CONT'D FROM HEALTH HAZARDS: OF

CHROMATE-CONTAINING MATERIALS MAY CAUSE PERMANENT DAMAGE TO UPPER RESPIRATORY TRACT & MAY CAUSE LUNG CANCER RISK; INGESTION: SEVERE IRRITATION TO GASTROINTESTINAL TRACT, MAY BE HARMFUL OR FATAL IF SWALLOWED. TOXICEFFECTS MAY NOT APPEAR IMMEDIATELY.

Medical Cond Aggravated by Exposure:PERSONS WITH IMPAIRED CARIOD-PULMONARY FUNCTION. THIS MAY BE AGGRAVATED BY SMOKING.

First Aid:EYES:FLUSH WITH PLENTY OF WATER.SEE DOCTOR;SKIN:FLUSH WITH WATER.WASH WITH SOAP & WATER.RINSE IF IRRITATION PERSISTS,SEE DOCTOR;INHALATION:REMOVE TO FRESH AIR.GIVE OXYGEN/CPR IF NEEDED.SEE DOCTOR;INGE STION:DO NOT INDUCE VOMIT.IF CONSCIOUS,GIVE LARGE AMOUNTS OF MILK OR WATER.SEE DOCTOR.NOTHING BY MOUTH IF UNCONSCIOUS.

============ Fire Fighting Measures =========================

Flash Point Method:SCC Flash Point:NONE TO BOIL Extinguishing Media:CO\*2,FOAM,W ATER FOG.

Fire Fighting Procedures:WEAR SCBA. ANY WATER RUNOFF MAY CONTAIN HEXAVALENT CHROME & SHOULD NOT BE ALLOWED TO ENTER SEWER OR

WATERWAYS.

Unusual Fire/Explosion Hazard:THERMAL DECOMPOSITION MAY PRODUCE TOXIC OXIDES OF CARBON & CHLORINE. DRUMS EXPOSED TO 100F(38C) & ABOVE MAY DEVELOP SUFFICIENT INTERNAL PRESSURE TO RUPTURE.

======== Accidental Release Measures ===========

Spill Release Procedures: CONTAIN. STOP LEAK IF SAFE TO DO SO. VENTILATE. EVACUAT

