

PRODUCTS RESEARCH & CHEM CORP -- PR-1201-RLS -- 8030-00-181-7884

=====
Product Identification
=====

Product ID:PR-1201-RLS

MSDS Date:01/01/1985

FSC:8030

NIIN:00-181-7884

Kit Part:Y

MSDS Number: BDGMX

=== Responsible Party ===

Company Name:PRODUCTS RESEARCH & CHEM CORP

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2060

Emergency Phone Nu

m:818-240-2060

CAGE:DO563

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

Company Name:PRODUCTS RESEARCH & CHEMICAL

Address:NOW DBA COURTAULDS AEROSPACE

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Phone:818-240-2060

CAGE:DO563

=====
Composition/Information on Ingredients
=====

Ingred Name:LEAD PEROXIDE (LEAD DIOXI

DE), (OSHA PEL FROM 29CFR
1910.1025)
CAS:1309-60-0
RTECS #:OG0700000
Fraction by Wt: 7%
OSHA PEL:0.05 MG/M3 (PB)
ACGIH TLV:0.15 MG/M3(PB); 8990

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 5%
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

=====
===== Hazards Identification =====

Effects of Overexposure:BASE COMPOUND MAY BE IRRITATING TO
SKIN.ACCELERATOR CONTNS LEAD COMPOUND WHICH
MAY BE ABSORB THRU SK

=====
===== First Aid Measures =====

First Aid:SKIN:WASH THOROUGHLY WITH SOAP & WATR. EYES:WASH OUT
THOROUGHLY W/LG AMTS OF WATR; SEE A PHYSICIAN INGESTION:INDUCE
VOMITING; SEE A PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point:92 F PMCC 33 C P
Lower Limits:1
Upper Limits:7
Extinguishing Media:FOAM,DRY CHEMICAL,XO*2.
Unusual Fire/Explosion Hazard:EMISSION OF TOXIC VAPORS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP EXCESS WITH RAGS OR PAPER TOWELS;
CLEAN AREA WITH XYLENE OR TOLUENE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP IN CLOSED CONTAINERS AT ROOM
TEMPERATURE. AVOID ACCELERATOR SPILLAGE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:AIR-SUPPLIED RESPIRATOR RECOMMENDED IN CONFINED
AREAS.

Ventil

ation:LOC EXHAUST/MECHAN ADEQUATE TOMINIMIZE SOLVENT VAPOR.

Protective Gloves:POLY/PROT HDCRM

Eye Protection:SAFETY GLASSES

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F4

Spec Gravity:1.62

Solubility in Water:INSOLUBLE

Appearance and Odor:PINKISH BROWN,THICK LIQUID,SLIGHT TOLUENE ODOR.

Percent Volatiles by Volume:6%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

DECOMPO

SES WHEN EXPOSED TO STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products:OXIDES OF SULFUR;HYDROGEN SULFIDE;
FORMAL ACID.

===== Disposal Considerations =====

Waste Disposal Methods:NORMAL TRASH PROCEDURES; DO NOT INCINERATE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.