

DELTA PETROLEUM CO.,INC. -- MIL-L-9000-G GRADE 9250;LUBRICATING OIL -- 9150-00-181-8229  
===== Product Identification =====

Product ID:MIL-L-9000-G GRADE 9250;LUBRICATING OIL

MSDS Date:01/01/1987

FSC:9150

NIIN:00-181-8229

MSDS Number: BDGSM

=== Responsible Party ===

Company Name:DELTA PETROLEUM CO.,INC.

Emergency Phone Num:(504)833-2861

CAGE:7A348

=== Contractor Identification ===

Company Name:DEL

TA PETROLEUM CO., INC

Address:10352 RIVER ROAD,

Box:10397

City:ST. ROSE

State:LA

ZIP:70087

Country:US

Phone:504-832-2732

CAGE:7A348

===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM OIL (80-95%) (TAKE TLV AS OIL MIST)

Fraction by Wt: 87.5%

ACGIH TLV:5MG/CUM

Ingred Name:ADDITIVE PACKAGE (CONTAINING N,ZN,CA,S, P.MG) 5-10%

Fraction by Wt: 7.5%

ACGIH TLV:NOT SPECIFIED

===== Hazards Identification =====

Effects of Overexp

osure:EYES:IRRITATION;SKIN:DERMAL CONTACT SLIGHT MAY  
BE IRRITATION;INHAL:IRRITATION TO RESPIRATORY TRACT.

===== First Aid Measures =====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O\*2 IF  
NEED;EYES/SKIN:FLUSH W LG AMTS H\*20 FOR 15 MIN;INGEST:RINSE MOUTH;  
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER  
SYMPTOMS OF OVEREXPOSURE.

===== Fire Fighting Measures =====

Flash Point:430F/221C (COC

)  
Extinguishing Media:WATER SPRAY,DRY CHEMICAL,CO\*2,FOAM  
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN CONFINED AREA.  
Unusual Fire/Explosion Hazard:NONE NOTED

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;USE SUITABLE  
ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTI  
LATED  
AREA;KEEP AWAY FROM HEAT,OPEN FLAMES,SPARKS;KEEP CONTAINER CLOSED  
WHEN NOT IN USE.  
Other Precautions:AVOID CONTACT WITH SKIN,EYES AND CLOTHES;DO NOT  
BREATHE VAPORS/MIST;WASH THOROUGHLY AFTER EACH USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR  
ORG.VAPORS/MIST IF ABOVE TLV  
Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE  
VENTILATION  
Protective Gloves:NEOPRENE  
Eye Protecti  
on:SAFETY/CHEM GOGGLES  
Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE  
WASH STATION  
Supplemental Safety and Health  
MSDS DATED:11/01/85

===== Physical/Chemical Properties =====

HCC:V6  
Spec Gravity:0.9007  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:BRIGHT AND CLEAR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZERS  
Stability Condition to Avoid:HEAT,OPEN FLAM

ES.

Hazardous Decomposition Products:CO,CO\*2,ALDEHYDES+KETONES;COMBUSTION PRODUCTS OF N\*2, AND S

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.