

IMPERIAL OIL CO.,INC -- OE-10(MC1065) -- 9150-00-186-6668

=====
Product Identification
=====

Product ID:OE-10(MC1065)

MSDS Date:01/01/1987

FSC:9150

NIIN:00-186-6668

MSDS Number: BDHBH

=== Responsible Party ===

Company Name:IMPERIAL OIL CO.,INC

Address:ORCHARD PLACE

Box:279

City:MORGANVILLE

State:NJ

ZIP:07751

Info Phone Num:201-591-9400

Emergency Phone Num:201-591-9400

CAGE:58563

=== Contractor Id

entification ===

Company Name:IMPERIAL OIL CO INC

Address:FOOT OF ORCHARD PL

Box:279

City:MORGANVILLE

State:NJ

ZIP:07751

Country:US

Phone:732-591-9400/FAX: 732-591-8825

CAGE:58563

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM BASED LUBRICANTS(OIL)

Fraction by Wt: 100%

=====
Hazards Identification
=====

Effects of Overexposure:NONE NOTED BY MFR. LOW TOXICITY & LOW HAZARD TO HEALTH.

=====
Fir

st Aid Measures =====

First Aid:SKIN:WASH WITH SOAP AND WATER. EYES: FLUSH WITH WATER.
INHALED: REMOVE TO FRESH AIR. REMOVE CONTAMINATED CLOTHING.

===== Fire Fighting Measures =====

Flash Point:230C(446F)-(OC)

Extinguishing Media:CO*2, FOAM, DRY CHEM & H*2O FOG.

Fire Fighting Procedures:USE MESA/NIOSH APPRVD SCBA;USE H*2O SPRAY TO
COOL CONTNRS.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:DIKE & CONTAIN SPILL W/INERT
MATERIAL(SAND,EARTH,FULLERS EARTH ETC.) TRANSFER LIQ TO DRUMS OR
OTHER CONTAINERS FOR RECOVERY/DISPOSAL.AREA MAY BE SLIPPERY CARE
SHOULD BE TAKEN TO AVOID FALLS."PREVENT M ATL FROM GETTING INTO
SEWERS/OPEN BODIES OF H*2O".

===== Handling and Storage =====

Handling and Storage Precautions:THESE LUBRICANTS BECOME VERY VISCOUS
WHEN STORED AT LOW TEMPERATURES.THEY CONGEAL AT
TEMPERATURES FROM
-12 TO -32C.

===== Exposure Controls/Personal Protection =====

Ventilation:NORMAL ROOM VENTILATION.

Protective Gloves:IMPERVIOUS

Eye Protection:CHEM SPLASH GOGGLES

Other Protective Equipment:EYEWASH FACILITY

Supplemental Safety and Health

SPEC REF: MIL-L-2104D;MFR SPECIFIED 9/17/84 THAT PRODUCT ALSO AVAILABLE
IAW MIL-L-2104C,AMD 1 UNDER MIL SYMBOL: OE/HDO-10;SEE P/N IND A FOR
MIL-L-2104C MATL(THIS DATA FOR PROD OF MIL-L-2104D).

=====

== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>600F

Vapor Pres: