

BRAY OIL CO, INC -- BRAYCO 423,MIL-L-2104C,OE/HDO-30,GRADE 30 -- 9150-00-189-6729

=====
Product Identification
=====

Product ID:BRAYCO 423,MIL-L-2104C,OE/HDO-30,GRADE 30

MSDS Date:01/01/1985

FSC:9150

NIIN:00-189-6729

MSDS Number: BDHRW

=== Responsible Party ===

Company Name:BRAY OIL CO, INC

Emergency Phone Num:213-575-1212

CAGE:KO467

=== Contractor Identification ===

Company Name:BRAY OIL CO, INC

CAGE:KO467

Company Name:CASTROL INDUSTRIAL NORTH AMERICA INC SPECIALTY PRODUCTS
DIV

Address:1001 WEST 31ST STREET

Box:City:DOWNERS GROVE

State:IL

ZIP:60515-1280

Country:US

Phone:800-621-2661/ FAX: 630-241-4140

CAGE:2R128

=====
Composition/Information on Ingredients
=====

Ingred Name:REFINED PETROLEUM LUBE OIL STOCK

=====
Hazards Identification
=====

Effects of Overexposure:NOT EXPECTED TO CAUSE ANY ILL EFFECT IN VERY
SENSITIVE INDI

V. MAY CAUSE EYE IRRIT.

=====
First Aid Measures
=====

First Aid:EYE: IMMED FLUSH W/WATER AT LEAST 15 MIN. CALL MD. SKIN: WASH
THOROUGHLY W/MILD SOAP & WATER. INGEST: DO NOT INDUCE VOMIT, CALL
MD.

=====
Fire Fighting Measures
=====

Flash Point:420F COC

Extinguishing Media:DRY CHEM, CO*2, FOAM, WATER FOG

Fire Fighting Procedures:USE SELF-CNTND RESP EQUIP IN CONFINED AREA

Unusual Fire/Explosion Hazard:DO NOT USE WA

TER EXCEPT AS FOG, OR SPRAY
TO COOL CNTNRS OR TANKS TO AVOID HEATING ABOVE FLASH PT.

===== Accidental Release Measures =====

Spill Release Procedures:STOP FLOW & SHUT OFF SOURCES OF IGNITION. WIPE
OR MOP UP, OR ABSORB W/CLAY, DIATOMACEOUS EARTH, OR OTHER INERT
MATL. STORE IN CLOSED METAL CNTNRS.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE NEAR HEAT, OPEN FLAME, OR
OTHER SOURCES O
F IGNITION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQ EXCEPT IF OIL MIST EXCEEDS TLV.
NIOSH/MSHA APPRVD IF NEC.
Ventilation:LOCAL EXHST & MECH, ONLY IF OIL MIST EXCEEDS TLV
Protective Gloves:PLASTIC/RUBBER
Eye Protection:SAFETY GLASSES REC
Supplemental Safety and Health
MFR STATES PROD IS NON HAZ AS DEFINED BY US DEPT OF LABOR 29CFR, SECT
1915.2.

===== Physical/Chemical Properties =====

HCC:V6
Boili
ng Pt:B.P. Text:>500F
Spec Gravity:0.910
Solubility in Water:NEGLIGIBLE
Appearance and Odor:DARK OILY LIQ, PETROLEUM ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
AVOID STRONG OXIDIZING AGENTS
Hazardous Decomposition Products:COMBUSTION MAY PRODUCE CARBON MONOXIDE
& ASPHYXIANTS

===== Disposal Considerations =====

Waste Disposal Methods:CONTROLLED INCINERATION OR METHOD IAW LOCAL,
STA

TE, FED REG.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.