

EXXON CHEMICAL AMERICAS A DIV OF EXXON CHEMICAL CO -- PRODUCT--00830ED ACETONE --  
6810-00-194-9477

===== Product Identification =====

Product ID:PRODUCT--00830ED ACETONE

MSDS Date:08/01/1981

FSC:6810

NIIN:00-194-9477

MSDS Number: BDJBR

=== Responsible Party ===

Company Name:EXXON CHEMICAL AMERICAS A DIV OF EXXON CHEMICAL CO

Box:3272

City:HOUSTON

State:TX

ZIP:77001

Country:US

Info Phone Num:713-87

0-6000

Emergency Phone Num:713-870-6000

CAGE:72190

=== Contractor Identification ===

Company Name:EXXONMOBIL CHEMICAL CO, DIV OF EXXON MOBILCORP.

Address:13501 KATY FWY

Box:3272

City:HOUSTON

State:TX

ZIP:77253-3272

Country:US

Phone:281-870-6000 / 800-726-2015

CAGE:72190

===== Composition/Information on Ingredients =====

Ingred Name:ACETONE (SARA III)

CAS:67-64-1

RTECS #:AL3150000

Fraction by Wt: 100%

OSHA PEL:1000PPM

ACGIH TLV:750PPM/1000STEL;9293

EPA Rpt Qty:5000 LBS

DOT Rp

t Qty:5000 LBS

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 ORAL RAT=5800MG/KG  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: VAPOR IRRITATES EYES,NOSE &  
THROAT.LIQUID MAY CAUSE EYE INJURY. CHRONIC: LIQUID IS IRRITATING  
TO SKIN,CAUSING DERMATITIS.  
Effects of Overexposure:SEE HEALTH HAZARDS.  
Medical Cond Aggravated by Exposure:ANY MEDICAL  
CONDITIONS AFFECTING  
THE SAME ORGANS AS THOSE AFFECTED BY OVEREXPOSURE.

=====  
===== First Aid Measures =====

First Aid:IF OVERCOME BY VAPORS,REMOVE TO FRESH AIR,AND IF BREATHING  
STOPPED,GIVE CPR.KEEP INDIVIDUAL CALM.CALL A PHYSICIAN.IF SKIN  
CONTACT OCCURS,WASH AFFECTED PARTS THOROUGHLY WITH SOAP &  
WATER;LAUNDER CLOTHI NG BEFORE REUSE.IF EYE CONTACT OCCURS,FLUSH  
WITH WATER FOR AT LEAST 15 MINUTES AND CALL A PHYSICIAN.

=====  
===== F

Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:0F,-18C  
Lower Limits:2.6  
Upper Limits:13.0  
Extinguishing Media:DRY CHEMICAL OR ALCOHOL-TYPE FOAM. WATER SPRAY MAY  
BE INEFFECTIVE.  
Fire Fighting Procedures:USE WATERSPRAY TO COOL FIRE-EXPOSED SURFACES  
AND TO PROTECT PERSONNEL.  
Unusual Fire/Explosion Hazard:DANGER! THIS PRODUCT IS EXTREMELY  
FLAMMABLE.MAY CAUSE FLASH FIRE.RESPIRATORY PROTECTION REQUIRED FOR  
FIREFIGHT PERSONNEL.STAY UPWIND,IF POSSIBLE.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:KEEP PUBLIC AWAY.SHUT OFF SOURCE IF POSSIBLE  
TO DO SO WITHOUT HAZARD.ELIMINATE SOURCES OF IGNITION.WARN  
OCCUPANTS OF DOWNWIND AREAS OF EXPLOSION HAZARD.PREVENT LIQUID FROM  
ENTERING SEWERS,WATERCOURSES OR LOW AREAS.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN  
USE.DO NOT HANDLE OR STORE NEAR FLAME

,HEAT OR STRONG

OXIDANTS.ADEQUATE VENTILATION REQUIRED.

Other Precautions:CONTAINERS OF THIS MATERIAL MAY BE HAZARDOUS WHEN  
EMPTIED.EMPTIED CONTAINERS RETAIN PRODUCT RESIDUES  
(VAPORS,LIQUID,ETC.).OBSERVE ALL HAZARD PRECAUTIONS OUTLINED IN  
THIS SHEET.ALL HANDLING EQUIPMENT S HOULD BE ELECTRICALLY GROUNDED.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE APPROVED RESPIRATORY PROTECTION SUCH AS  
AIR-SUPPLIED MASK IF USED IN ENCLOSE  
D SPACES.

Ventilation:LOCAL EXHAUST WITH FACE FELOCITY >60FPM IN CONFINED SPACE.  
MECHANICAL (GENERAL),USE EXPLOSION-PROOF VENTILATION EQUIPMNT

Protective Gloves:CHEMICALLY RESISTANT GLOVES

Eye Protection:CHEMICAL SPLASH GOGGLES OR FACE SHIELD.

Other Protective Equipment:USUALLY NOT NEEDED.

Work Hygienic Practices:STANDARD HYGIENIC PRACTICES.

Supplemental Safety and Health  
NO SMOKING OR OPEN LIGHTS.

=====  
===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P.

Text:133F,56C

Vapor Pres:380

Vapor Density:2.0

Spec Gravity:0.792

Evaporation Rate & Reference:11.6 (BU AC=1)

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR COLORLESS LIQUID,SWEET PUNGENT ODOR

Percent Volatiles by Volume:100.

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

INORGANIC

ACIDS,CAUSTIC,AMINES,ALKANOLAMINES,OXYGEN,HALOGEN,ALDEHYDES,AMMONIA  
,OXIDIZING AGENTS,CHLORINATED COMPOUNDS.

Stability Condition to

Avoid:HEAT,SPARKS,OPEN FLAMES.  
Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:CONTAIN SPILLED LIQUID WITH SAND OR EARTH.DILUTE  
CONTAINED SPILL WITH WATER.RECOVER FREE LIQUID BY PUMPING OR WITH A  
SUITABLE ABSORBANT.CONSULT A DISPOSAL EXPERT AND ENSURE CONFORMITY  
TO FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formul

ated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.