

FMC CORP -- SODIUM SULFIDE -- 6750-00-200-2403

=====  
Product Identification  
=====

Product ID:SODIUM SULFIDE

MSDS Date:01/01/1985

FSC:6750

NIIN:00-200-2403

MSDS Number: BDJFR

=== Responsible Party ===

Company Name:FMC CORP

Address:2000 MARKET STREET

City:PHILADELPHIA

State:PA

ZIP:19103-3230

Country:US

Info Phone Num:215-999-6000

Emergency Phone Num:215-999-6000

CAGE:0TYC8

=== Contractor Identificat

ion ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

Company Name:F M AUTO BODY AND TRIM

Address:8 DEYO PL

Box:City:NEWBURGH

State:NY

ZIP:12550-5814

Country:US

CAGE:8A112

Company Name:FMC CORP

Address:1735 MARKET ST., ADDITIVE DIV

Box:City:PHILADELPHIA

State:PA

ZIP:19103

Country:US

Phone:800-468-3853

CAGE:0TYC8

=====  
Composition/Information on Ingredients  
=====

In

Product Name: SODIUM SULFIDE (CAS #1313-82-2)

CAS: 1313-82-2

RTECS #: WE1905000

Fraction by Wt: 60%.

ACGIH TLV: UNK

=====  
===== Hazards Identification =====

Effects of Overexposure: EYES/SKIN/RESPIRATORY: SEVERE CAUSTIC BURNS OCCUR; MAY LIBERATE HYDROGEN SULFIDE

=====  
===== First Aid Measures =====

First Aid: EYES: HOLD EYE LIDS APART-IRRIGATE W/RUNNING WATER FOR 15 MIN., CALL PHYSICIAN; SKIN: REMOVE CONTAMINATED CLOTHING UNDER SHOWE

R-WASH SKIN W/WATER, CALL PHYSICIAN; INHALATION: REMOVE TO FRESH AIR-APPLY ARTIFICIAL RESPIRATION OR OXYGEN, CALL PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Extinguishing Media: WATER OR DRY CHEMICAL EXTINGUISHER

Fire Fighting Procedures: WEAR PROPER BREATHING APPARATUS

Unusual Fire/Explosion Hazard: HYDROGEN SULFIDE, SULFUR DIOXIDE GAS CAN BE EVOLVED IN FIRE

=====  
===== Accidental Release Measures =====

Spill Release Procedures: REC

OVER IN DRY STATE, USE APPROVED TOXIC DUST RESPIRATOR

=====  
===== Handling and Storage =====

Handling and Storage Precautions: MAXIMUM STORAGE TEMP. 262F/128C; KEEP COOL & DRY, NO OXIDANT OR ACIDS.

Other Precautions: NO SMOKING, NO OPEN FLAMES OR SPARKS.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection: U.S.B.M.-APPROVED TOXIC DUST RESPIRATOR OR GAS MASK & APPROP. CANISTR

Ventilation: LOCAL EXHAUST REQUIRED

Protective

Gloves:LIQ.PROOF RUBBR  
Eye Protection:CUP TYPE CHEM.SAFETY GOGG  
Other Protective Equipment:FULL COVER CLOTHING,HEAD GEAR-SAFETY SHOWERS  
IN WORK AREA.

Supplemental Safety and Health  
PRODUCT WAS PURCHASED FROM CHEMICAL COMMODITIES AGENCY, AND WAS  
APPARENTLY MANUFACTURED BY FMC CORP. HOWEVER THE WRONG CAGE CODE  
WAS USED. CHANGE WILL BE MADE (20DEC91) IN CAGE CODE AND MFR TO  
REFLE CT THE ASSUMED CORRECT ADDRESS ETC.

===== Physical/Chemical Properties =====  
=====

HCC:F8  
Boiling Pt:B.P. Text:347F /175C  
Vapor Pres:NIL  
Spec Gravity:1.81  
Solubility in Water:APPRECIABLE  
Appearance and Odor:YELLOW FLAKE,SOLID MATERIAL,SLIGHT H\*2S ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
ACIDS,OXIDANTS,FLAME,DIMINERALIZED WATER(PH < 8.)  
Stability Condition to Avoid:ACCESSIBILITY TO ACIDS OR OXIDIZING  
AGENTS,WILL REACT:H\*2S,  
Hazardous Decomposition Products:HYDROGEN SULFIDE,& SULFUR DIOXIDE

=  
===== Disposal Considerations =====

Waste Disposal Methods:DISSOLVE IN ALKALINE WATER & AERATE SOLUTION TO  
CONVERT TO SULFATE,THIOSULFATE & CARBONATE.DO NOT AERATE IN CLOSED  
AREA.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.