

ASTRO DEVELOPMENT LABORATORIES INC.(BASF WYANDOTTE -- PLURACOL POLYOL TP-740 --  
8475-00-208-9275

=====  
Product Identification  
=====

Product ID:PLURACOL POLYOL TP-740

MSDS Date:01/01/1985

FSC:8475

NIIN:00-208-9275

MSDS Number: BDJPN

==== Responsible Party ====

Company Name:ASTRO DEVELOPMENT LABORATORIES INC.(BASF WYANDOTTE

Emergency Phone Num:213-322-2003

CAGE:7K997

==== Contractor Identification ====

Company Name:ASTRO DEVELOPMENT LABORATORY INC

Address:236 CALIFORNIA ST

Box:City:EL SEGUNDO

State:CA

ZIP:90245-4309

Country:US

CAGE:7K997

Company Name:BASF CORPORATION

Address:1609 BIDDLE AVE

Box:City:WYANDOTTE

State:MI

ZIP:48192-3729

Country:US

Phone:313-246-6100

CAGE:05961

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION\_INGREDIENT

=====  
Hazards Identification  
=====

Effects of Overexposure:

AT ROOM TEMP. VAPORS ARE NONEXISTENT-NO

EVIDENCE OF TOXICITY DUE TO VAPOR INHALATION IS KNOWN

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15

MINUTES-CALL A PHYSICIAN. INGESTION: INDUCE VOMITING. SKIN CONTACT:

WASH WITH SOAP AND WATER.

=====  
Fire Fighting Measures  
=====

Flash Point:>480F COC

Extinguishing Media:WATER SPRAY, DRY CHEMICAL OR CARBON DIOXIDE (CO\*2)

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS

===== Accidental Release Measures =====

Spill Release Procedures:USE NORMAL CLEAN-UP PROCEDURES AS WITH ANY NON-HAZARDOUS LIQUID. FOR LARGE QUANTITIES, PROTECTIVE CLOTHING SHOULD BE WORN AS REQUIRED BY GOOD HYGIENE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN CLOSED CONTAINERS BELOW 110F. AVOID MOISTURE CONTAMINATION FROM AIR TO PROTECT PRODUCT QUALITY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED  
Protective Gloves:RUBBER  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:AVOID CONTACT WITH SKIN  
Supplemental Safety and Health  
THIS IS ONE OF THREE COMPONENTS IN A KIT UNDER SAME NSN.SEE P/N IND. A AND C.

===== Physical/Chemical Properties =====

HCC:N1  
Spec Gravity:1.0000  
Evaporation Rate & Reference:NA  
Solubility  
in Water:SLIGHT  
Appearance and Odor:WATER-WHITE,SLIGHTLY VISCOUS LIQUID, VERY LOW ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
AVOID MOISTURE TO PROTECT PRODUCT QUALITY.  
Stability Condition to Avoid:TEMPERATURES ABOVE 300F.  
Conditions to Avoid Polymerization:RIGID POLYURETHANE & PHOSPHORUS-CONTAINING FLAME RETARDANTS

===== Disposal Considerations =====

Waste Disposal Methods:FOR LARGE

QUANTITIES: INCINERATE IN APPROVED  
MANNER. DO NOT DISCHARGE INTO TRIBUTARIES.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume  
responsibility for the suitability of this information to their  
particular situation.