

BULK CHEMICAL INC -- RIFLE BORE CLEANER -- 6850-00-224-6656

=====
Product Identification
=====

Product ID:RIFLE BORE CLEANER

MSDS Date:01/01/1987

FSC:6850

NIIN:00-224-6656

MSDS Number: BDKKS

=== Responsible Party ===

Company Name:BULK CHEMICAL INC

Emergency Phone Num:504-362-3232

CAGE:KO678

=== Contractor Identification ===

Company Name:BULK CHEMICAL INC

CAGE:KO678

Company Name:BULK CHEMICALS DIS

TRIBUTORS,INC

Address:80 FIRST STREET

City:GRETNA,

State:LA

ZIP:70053

Country:US

Phone:504-362-3232 DISCONNECTED(2-20-92)

CAGE:56921

=====
Composition/Information on Ingredients
=====

Fraction by Wt: 60%

ACGIH TLV:200 PPM

Fraction by Wt: 35%

Fraction by Wt: 5%

=====
Hazards Identification
=====

Effects of Overexposure:PRLG SKIN CONTACT MAY CAUSE IRRIT & DERMAT.PRLG
EXPOS TO VAP CAUSE EYE,RESPIR TRACT,IRRIT,HDCH,DROWS

=====
First Aid Measures
=====

First Aid:SKIN:WASH W/ SOAP & WATER.EYE:FLUSH W/ LARGE AMOUNT OF
WATER.IF IRRIT PERSISTS SEEK MEDICAL AID.INHAL:REMOVE TO FRESH
AIR.INGEST:DO NOT INDUCE VOMITING-ADMINISTER 2-4 OZ OLIVE OIL OR
VEGET OIL & 1-2OZ ACTIVATED CHARCOAL.SEEK MEDICAL AID.

=====
Fire Fighting Measures
=====

Flash Point:125F,52C TCC

Lower Limits:0.7

Upper Limits:5

Extinguishing Media:DRY CHEMICAL PREFERRED.FOAM & WATER ALSO

APPLICABLE

Fire Fighting Procedures:USE FOAM & WATER SPRAY CAREFULLY TO PREVENT EXCESS FROTHING

Unusual Fire/Explosion Hazard:KEEP AWAY FROM HEAT OR OPEN FLAMES.CAN REACT W/ OXIDIZING MATERIALS.COMBUSTIBLE.

===== Accidental Release Measures =====

Spill Release Procedures:STOP FLOW,ELIMINATE IGNITION SOURCES.ABSORB OR SCRAPE UP.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS TIGHTLY CLOSED.DO NOT

STORE OR MIX WITH STRONG OXIDANTS.STORE IN COOL WELL-VENTILATED AREA.

Other Precautions:STORE AWAY FROM POSSIBLE SOURCES OF IGNITION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVD RESPIR.VAP REMOVING AIR PURIF RESP FOR MIST,SPRAY

Ventilation:LOCAL EXHAUST TO KEEP BELOW TLV

Protective Gloves:RUBBER

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:PROTECTIVE GARMENT,AS REQUIRED

Supplemental Safety and Health

MSDS PREP:01JUN84;BP:181-290C.

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:358-554F

Vapor Pres:NEG

Vapor Density:4.5

Spec Gravity:0.839

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR,PALE LUBRICATING OIL

Percent Volatiles by Volume:64.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDANTS SUCH AS CHLORINE AND CONCENTRATED OXYGEN

Hazardous Decomp

osition Products:CARBON MONOXIDE IN CASES OF INCOMPLETE
COMBUSTION

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE UNDER CONTROLLED CONDITIONS,OBSERVING
FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants thi
s information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.