

GE SILICONES -- RTV102

=====
MSDS Safety Information
=====

FSC: 8040
NIIN: 00-225-4548
MSDS Date: 01/27/1992
MSDS Num: BDKMT
Product ID: RTV102
MFN: 01
Responsible Party
Cage: GESIL
Name: GE SILICONES
Address: 260 RIVER ROAD
City: WATERFORD NY 12188
Info Phone Number: 518-237-3330
Emergency Phone Number: 518-237-3330
Preparer's Name: DA POLSINELLI
Proprietary Ind: Y
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: GESIL
Name: GE SILICONES
Address: 260 HUDSON RIVER ROAD
City: WATERFORD NY 12188
Phone: 518-237-3330
Cage: 01139
Name: GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT
Address: 260 HUDSON RIVER RD
City: WATERFORD NY 12188
Phone: 518-237-3330
30/800-332-3390

=====
Item Description Information
=====

Item Manager: GSA
Item Name: ADHESIVE
Unit of Issue: KT

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====

=====
Health Hazards Data
=====

=====

LD50 LC50 Mixture: NONE

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: INGEST:MAY BE HARMFUL IF SWALLOWED. SKIN:UNCURED PRODUCT CONTACT WILL IRRITATE LIPS, GUMS & TONGUE. UNCURED PRODUCT CONTACT MAY IRRITATE SKIN. INHAL:CAUSES MILD RESPIRATORY IRRITATION. APPLIES ONLY IN UNCURED STATE. EYE:UNCURED PRODUCT CONTACT IRRITATES EYES.

Explanation Of Carcinogenicity: NOT RELEVAN

T

Signs And Symptoms Of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated By Exposure: RESPIRATORY.

First Aid: INGEST:DO NOT INDUCE VOMIT. SLOWLY DILUTE W/1-2 GLASSES OF WATER/MILK & SEEK MED ATTN. NEVER GIVE ANYTHING BY MOUTH TO UNCON PERS. SKIN:REMOVE COMPLETELY W/DRY CLOTH/PAPER TOWEL, BEFORE WASHING W/DETE RGEN T & WATER. GET MD IF IRRIT PERSISTS. INHAL:MOVE PERS TO FRESH AIR. EYE:IMMED FLUSH W/PLENTY OF WATER FOR AT LST 15 MINS & GET MED ATTN IF IRRIT PERSISTS.

=====

Handling and Disposal

=====

Spill Release Procedures: WIPE, SCRAPE OR SOAK UP IN AN INERT MATERIAL & PUT IN A CONTAINER FOR DISPOSAL. WASH WALKING SURFACES W/DETERGENT & WATER TO REDUCE SLIPPING HAZARD. WEAR PROPER PROTECTIVE EQUIPMENT AS SPECIFIED IN TH E PROTECTIVE EQUIPMENT SECTION.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSAL SHOULD

BE MADE I/A/W FEDERAL, STATE &

LOCAL REGULATIONS. BURY IN LICENSED LANDFILL OR BURN IN APPROVED INCINERATOR I/A/W FEDERAL, STATE & LOCAL REGULATIONS.

Handling And Storage Precautions: KEEP CONTAINER CLOSED WHEN NOT IN USE. AVOID CONTACT W/SKIN & EYES. PRODUCT RELEASES ACETIC ACID DURING APPLICATION & CURING.

Other Precautions: REMOVE CONT LENSES BEFORE USING SEALANT. DO NOT HANDLE LENSES UNTIL ALL SEALANT HAS BEEN CLEANED FROM FINGERTIPS, NAILS & CUTICLES. RESIDUA

L SEALANT MAY REMAIN ON FINGERS FOR SEVERAL DAYS &
TRANSFER TO LENSES &; CAUSE SEV EYE IRRIT. (SUPDAT)

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: PMCC

Lower Limits: UNKNOWN

Upper Limits: UNKNOWN

Extinguishing Media: ALL STANDARD FIRE FIGHTING AGENTS.

Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA &; FULL PROTECTIVE
EQUIPMENT (FP N).

Unusual Fire/E

xplosion Hazard: N/K (FP N)

=====
Control Measures
=====

Respiratory Protection: NIOSH/MSHA APPROVED RESPIRATOR IF TLV EXCEEDED OR
OVEREXPOSURE LIKELY.

Ventilation: USE ONLY IN WELL VENTILATED AREA. USE MECHANICAL VENTILATION TO
STAY BELOW TLV OF 10 PPM ACETIC ACID.

Protective Gloves: CLOTH GLOVES

Eye Protection: CHEMICAL WORKERS GOGGLES (FP N)

Other Protective Equipment: EYEWASH STATIONS

Wor

k Hygienic Practices: REMOVE CONTACT LENSES BEFORE USING PRODUCT.

Supplemental Safety and Health: OTHER PREC:UNCURED PRODUCT CONTACT IRRITATES
EYES. UNCURED PRODUCT CONTACT MAY IRRITATE SKIN.

=====
Physical/Chemical Properties
=====

HCC: N1

Decomp Text: N/K (FP N)

Spec Gravity: 1.06 (H*2O=1)

Solubility in Water: INSOLUBLE

Appearance and Odor: SOLID WHITE, ACETIC ACID ODOR.

Percent Volatiles by

Volume: <8

Corrosion Rate: N/K FP N

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: NONE KNOWN

Materials To Avoid: NONE KNOWN

Hazardous Decomposition Products: CARBON DIOXIDE, SILICON DIOXIDE, ACETIC ACID,
CARBON MONOXIDE.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: N/K (FP N)

=====
Toxicological Information

=====
Ecological Information

=====
MSDS Transport Information

=====
Regulatory Information

=====
Other Information

=====
Transportation Information

Responsible Party Cage: GESIL
Trans ID NO: 57702
Product ID: RTV102
MSDS Prepared Date: 01/27/1992
Review Date: 05/26/1981
MFN: 1
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: KT
Additional Data: NOT REG FOR SHIPPING

=====
Detail DOT Information

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
Detail IMO Information

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=

Detail IATA Information

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail AFI Information

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

HAZCOM Label

Product ID: RTV102

Cage: GESIL

Company Name: GE SILICONES

Street: 260 HUDSON RIVER ROAD

City: WATERFORD NY

Zipcode: 12188

Health Emergency Phone: 518-237-3330

Label Required IND: Y

Date Of Label Review: 12/11/1992

Status Code: C

Label Date: 12/11/1992

Origination Code: G

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: None

Reactivity Hazard: None

Hazard And Pre

cautions: ACUTE:HARMFUL IF SWALLOWED. CONTACT WITH UNCURED

PRODUCT WILL IRRITATE LIPS, GUMS, TONGUE, SKIN, EYES. INHALATION CAUSES MILD RESPIRATORY IRRITATION IN UNCURED STATE. CHRONIC:NONE SPECIFIED BY MANUFACTURER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly o

r implied

warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibi

lity for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.