View NSN Online: https://aerobasegroup.com/nsn/8030-00-231-2351 ASHLAND OIL INC -- TECTYL 437 -- 8030-00-231-2351 ============= Product Identification ======================== Product ID:TECTYL 437 MSDS Date:01/01/1985 FSC:8030 NIIN:00-231-2351 MSDS Number: BDKXT === Responsible Party === Company Name: ASHLAND OIL INC Emergency Phone Num:614-790-3333 CAGE:60016 === Contractor Identification === Company Name: ASHLAND OIL INC ASHLAND CHEMICAL CO DIV Address:831 5TH AVE S Box:2219 City:KENT State:WA ZIP:98031 Country:US CAGE:60016 Company Name: STEVEN INDUSTRIES Address:39 AVENUE C Box:8 City:BAYONNE State:NJ ZIP:07002-3417 Country:US Phone:201-437-6501 CAGE:33150 ======= Composition/Information on Ingredients ======== Ingred Name: 2000 PALE OIL Fraction by Wt: 60% ACGIH TLV:5 MG/CUM ============= Hazards Identification ========================

Effects of Overexposure:EYES & SKIN: IRRITATION. INHALATION: IRRITATION, DIZZINESS,POSSIBLE UNCONSCIOUSNESS OR A

SPHYXIATION.
======================================
First Aid:SKIN: WASH WITH SOAP AND WATER. EYES: FLUSH WITH LARGE AMOUNTS OF WATER. INHALATION: REMOVE TO FRESH AIR; GIVE OXYGEN OR ARTIFICIAL RESPIRATION AS NEEDED. SWALLOWING: GIVE WATER; INDUCE VOMITING-IMMED IATELY CALL PHYSICIAN.
======================================
Flash Point:460F; 238C CC Extinguishing Media:DRY CHEMICAL, CO*2 Fire Fighting Procedures:USE BREAT HING APPARATUS WITH FACEPIECE-POSITIVE PRESSURE MOD Unusual Fire/Explosion Hazard:WATER OR FOAM MAY CAUSE FROTHING WHICH CAN BE VIOLENT AND POSSIBLY ENDANGER LIFE OF THE FIREFIGHTER.
======== Accidental Release Measures ==========
Spill Release Procedures:SMALL:ABSORB ON PAPER, OR OTHER ABSORBENT MATERIAL AND TRANSFER TO HOOD. LARGE:WEAR PROTECTIVE CLOTHING.STOP SPILL AT SOURCE; DIKE AREA TO PREVENT SPILLING; PUMP LIQUID TO SALVAGE TANK. REMAINING LIQU I  D MAY BE ABSORBED ON SAND,ETC.AND PLACED IN CANS.
======================================
Other Precautions:ALL HAZARDOUS PRECAUTIONS APPLY TO EMPTY CONTAINERS BECAUSE OF RESIDUE.
====== Exposure Controls/Personal Protection ========
Ventilation:SUFFICIENT TO MAINTAIN EXPOSURE BELOW TLV'S. Protective Gloves:BUNA-N;NEOPRENE Eye Protection:SAFETY GLASSES Other Protective Equipment:IMPERVIOUS CLOTHING AND BOOTS. Supplemental Safety and Health

======== Physical/Chemical Properties ==========

HCC:N1 Vapor Pres: