

BULK CHEMICAL DIST INC. -- VV-L-800A,LUBRCTNG OIL,GEN PURPOSE,PRESRVTV --
9150-00-231-9062

=====
===== Product Identification =====

Product ID:VV-L-800A,LUBRCTNG OIL,GEN PURPOSE,PRESRVTV

MSDS Date:01/01/1985

FSC:9150

NIIN:00-231-9062

MSDS Number: BLDY

=== Responsible Party ===

Company Name:BULK CHEMICAL DIST INC.

Emergency Phone Num:504-362-3232

CAGE:EO174

=== Contractor Identification ===

Company Nam

e:BULK CHEMICAL DIV,MALTER INTERNATIONAL

Address:80 FIRST ST

City:GRETNA

State:LA

ZIP:70053

Country:US

CAGE:EO174

Company Name:BULK CHEMICALS DISTRIBUTORS,INC

Address:80 FIRST STREET

City:GRETNA,

State:LA

ZIP:70053

Country:US

Phone:504-362-3232 DISCONNECTED(2-20-92)

CAGE:56921

=====
===== Composition/Information on Ingredients =====

Ingred Name:TRANSFORMER OIL

Fraction by Wt: 92.0%

ACGIH TLV:5MG/CUM(PER MFR

Ingred Name:CORROSION INHIBITOR IN GREASE(ALOX 2201)

Fraction by Wt: 6.0%

Ingred Name:THERMO SETTING ACRYLIC PLASTICIZER

Fraction by Wt: 1.0%

Ingred Name:FOOD-GRADE ANTIOXIDANT

Fraction by Wt: 0.5%

Ingred Name:LOW FOAMING SURFACTANT,NON-TOXIC

Fraction by Wt: 0.5%

=====
Hazards Identification
=====

Effects of Overexposure:EYES:CAUSES SEV IRRIT,BLURD
VISION;SKIN:REPTD/PROLNGD CONTCT CAUSES MOD IRRITATION; -SEE SUPPL
DATA-

=====
First Aid Measures
=====

First Aid:SKIN:WASH W.SOAP & H*2
O EYES:FLUSH W. H*2O. INGESTED:GIVE 2
GLASSES H*2O; INDUCE VOMITING.CALL A PHYSICIAN. INHALE:REMOVE TO
FRESH AIR. GIVE CPR/OXYGEN IF NEED. KEEP WARM & QUIET. REMOVE
CONTAMINATED CLOTHING. IF UNCONS DO NOT TAKE ANYTHING BY MOUTH.

=====
Fire Fighting Measures
=====

Flash Point:295F -(T.C.C)
Lower Limits:UNK
Upper Limits:UNK
Extinguishing Media:DRY CHEMICAL OR CARBON DIOXIDE
Fire Fighting Procedures:WATER OR FOAM MAY CAUSE FROTHING WHICH CAN BE
D
ANGEROUS.
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:SM SPILL:ABSORB LIQ ON
PAPER,VERMICULITE,COMMERCIAL ABSORBENTS & TRANSFER TO HOOD;LG
SPILL:ELIMINATE IGN SOURCES.EVACUATE UNPROTECTED PERSONS.USE
PROTECTV EQUIPMNT.STOP LEAK W/O RISK.DIKE AREA OF SPIL L,PUMP LIQ
TO SALVGE TANK.SHOVEL REMAING INTO CONT

=====
Handling and Storage
=====

Handling and Storage P

Precautions: STORE IN COOL, DRY, WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE. KEEP CONTAINERS CLOSED. MAINTAIN STANDARD HYGIENE FOR CHEM HANDLING.

Other Precautions: AVOID PROLONGED OR REPEATED SKIN CONTACT; OBSERVE ALL PRECAUTION IN THIS DATA SHEET WHEN HANDLING EMPTY CONTAINERS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: WEAR SELF CONTAINED BREATHING APP W/ POSITIVE PRESSURE MODE.

Ventilation: LOCAL EXHAUST TO MAINTN BELOW TLV.

Pro

ective Gloves: NEOPRENE

Eye Protection: SAFETY GLASSES

Other Protective Equipment: IMPERVIOUS CLOTHING & BOOTS.

Supplemental Safety and Health

-OVER-EXPOSURE: DERMATITIS, DEFATTING; INH: MAY CAUSE NASAL/RESP IRRIT, DIZZ, NAUSEA, UNCONCIOUSNESS; ING: CAUSES GI IRRIT, VOMITG, DIAPRHEA; MSDS FROM MFR NOT DATED.

===== Physical/Chemical Properties =====

HCC: V6

Boiling Pt: B.P. Text: 560F

Vapor Pres: 5

Vapor Density: >1.0

Spec Gravity: