View NSN Online: https://aerobasegroup.kr/nsn/6810-00-234-8373

Product ID:SODIUM HYDROXIDE,FLAKE/PELLET MSDS Date:01/01/1985 FSC:6810 NIIN:00-234-8373 **MSDS Number: BDLML** === Responsible Party === Company Name: ALLIED CHEMICAL CORP Address:COLUMBIA RD & PARK AVE Box:1087R City:MORRISTOWN State:NJ ZIP:07960 Country:US Emergency Phone Num:800-424-9300 CAGE :1L168 === Contractor Identification === Company Name: ALLIED CHEMICAL COMPANY Box:1087R CAGE:1L168 Company Name: ALLIED-SIGNAL INC Address:Box:2332R City:MORRISTOWN State:NJ ZIP:07962-2332 Country:US Phone:201-455-4414 CAGE:1L164

Ingred Name:SODIUM HYDROXIDE (SARA III) CAS:1310-73-2 RTECS #:WB4900000 Fraction by Wt: 97%. OSHA PEL:2 MG/M3 ACGIH TLV:C 2 MG/M3; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Effects of Overexposure:SKIN:MAY CAUSE SEV BURNS;EYES:RAPIDLY CAUSES SEV DAMAGE;INH:DUST/MIST MAY DAMAGE ENTIRE RESP TRACT.

First Aid:IMMED REMOVAL OF CAUSTIC IS OF PRIMARY IMPORTANCE;SKIN:FLUSH W/LG AMTS OF WATER FOR 1-2 HRS OR UNTIL MED HELP ARRIVES;EYES:FLUSH IMMED W/COPIOUS AMTS WATER FOR AT LEAST 15 MIN.GET MED HELP AT ONCE FOR EYES/SKIN BURNS;INH:REMOVE TO FRESH AIR.GET MEDIC

Flash Point:NONE Lower Limits:NONE Upper Limits:NONE Extinguishing Media:FLOOD W/WATER,USING CARE NOT TO SPLATTER OR SPLASH Fire Fighting Procedures:USE NIOSH APPRVD SELF-CNTND BRTHG APP & FULL PROTEC CLOTHING Unusual Fire/Explosion Hazard:GIVES H2 GAS WHEN IN CONTACT W/AL,LEAD,TIN, ZINC & THEIR ALLOYS;CONTACT W/WATER OR SEE SUPPL DATA

======= Accidental Release Measures ======

============

Spill Release Procedures: IMMED SWEEP UP, REMOVE & PLACE IN CLOSED CONTNR, PROVIDING STAFF PROTECTION & AVOID CONTACT W/METALS.DISSOLVE/NEUTRALIZE & FLUSH AWAY REMAINDER, KEEPING OUT OF SEWER.USE W/CARE DIL ACETIC ACID TO NEUTRAL IZE CAUSTIC TRACES.IF GIVES H*2 EVAC/VENT AREA.

Handling and Storage Precautions:DO NOT MIX HOT WATER W/CAUSTIC SODA.ADD CAUSTIC TO COLD WATER W/STIRRING AS HEAT IS EVOLV ED.HEAT

IS EVOLVED IN NEUTRALIZING.AVOID SPATTERING THE SOLN. Other Precautions:FOR FURTHER DETAILS SEE MCA CHEM SAFETY DATA SHEET SD-9 AVAILABLE FM MFGR CHEMISTS ASSOC,1825 CONNECTICUT AVE,NW WASH DC. PRECAUTIONS LISTED IN THIS DATA SHEET APPLY ALSO TO AQUEOUS SOLUTIONS.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:USE SPECIAL(MECH)FILTER RESP FOR MIST/DUST.IF H*2 GAS*SEE SUPP DATA* Ventilation:LOCAL EXH:AS NEEDED TO ELIM DUST/ MIST;MECH(GEN):IF NOT DUSTY Protective Gloves:RUBBER/NEOPRENE Eye Protection:CHEM SAFETY GOGGLES Other Protective Equipment:FACE SHLD,HARD HATS,RUBBER APRON,RUBBER BOOT/CLOTH AS REQD. Supplemental Safety and Health **UNUSUAL FIRE:OR MOISTURE MAY GIVE SUFFF HEAT TO IGNITE COMBUSTIBLE MATLS. *RESP PROTEC:IS BEING PRODUCED,USE HOSE MASK/SELF CNTND BRTHG APP.PRODUCT IN PELLET FORM,UNDER FED SPEC O-C-265

HCC:B1 Spe c Gravity:2.13 Solubility in Water:APPRECIABLE Appearance and Odor:WHITE FLAKES OR PELLETS WITH NO ODOR.

Stability Indicator/Materials to Avoid:YES STRON OXIDIZERS,ACIDS & FLAMMABLE MATL,REACTIVE METALS &SALT Stability Condition to Avoid:HUMID AREA Hazardous Decomposition Products:H*2 GAS IN CONTACT W/ALUMINUM,ZINC,TIN,LEAD & THEIR ALLOYS Conditions to Avoid Polymerization:UNK

====== Disposal Considerations

Waste Disposal Methods: IF DISPOSAL REGS PERMIT DISCHARGE OF NEUTRAL SOLNS; DISSOLVE IN WATER, COOL & NEUTRALIZE CAREFULLY W/DILUTE ACID, SUCH AS ACETIC ACID. THEN FLUSH TO SEWER W/LOTS OF WATER. DISPOSAL BY A LICENSED CONTRACTOR MAY OTHERWISE BE NEEDED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, ex pressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.