View NSN Online: https://aerobasegroup.com/nsn/6810-00-236-5665

EMCO CHEMICAL CORP -- HYDROCHLORIC ACID, TECHNICAL -- 6810-00-236-5665

Product ID: HYDROCHLORIC ACID, TECHNICAL MSDS Date:01/01/1985 FSC:6810 NIIN:00-236-5665 **MSDS Number: BDLTR** === Responsible Party === Company Name: EMCO CHEMICAL CORP Address:SOUTH CREEK ROAD, BLDG 1, SECTION 500 Box:219205 **City:HOUSTON** State:TX ZIP:77218 Country:US CAGE:9T542 === Contractor Ident ification === Company Name: EMCO CHEMICAL CORP Address:SOUTH CREEK ROAD, BLDG 1, SECTION 500 Box:219205 **City:HOUSTON** State:TX ZIP:77218 Country:US CAGE:9T542 Ingred Name: HYDROCHLORIC ACID, CAS# 7647-01-0, (31.5-30%) RTECS #:MN4025000 Fraction by Wt: 33.8% ACGIH TLV:(C) 5 PPM Ingred Name:WATER,CAS# 7732-18-5 CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 66.2%

Effects of Overexposure:EYES/SKIN:SEVERE CORROSIVE,IRRITATS RESPIR TRACT;MAY CAUSE BLINDNESS.

First Aid:REMOVE TO FRESH AIR; GET MEDICAL ATTENTION; GIVE CPR OR OXYGEN IF NEED. IF CONTACT,FLUSH W. H2O FOR 15 MIN. SPEED OF REMOVAL IS CRITICAL. REMOVE & ISOLATE CONTAMINATED CLOTHING. KEEP WARM & QUIET.EFFE CTS MAY BE DELAYED; OBSERVE VICTIM.

Extinguishing Media:EXTINQUISH W. AGENT SUITABLE FOR SURROUNDING FIRE. Fire Fighting Procedures:IN FIRE WEAR SCOTT AIR-PAK OR EQUIVALENT Unusual Fire/Explosion Hazard:NON-FLAM;REACTS S. METALS, EXCEPT GOLD/ PLATINUM,WITH EVOLV OF FLAMM GAS H2,WHICH IS ALSO EXPLOSIVE.

Spill Release Procedures: ELIMINATE IGNITION SOURCES. STOP LEAK W/O RISK. EVACUATE AREA. SM SPILL: ABSORB WITH INERT ABSORBENT, FLUSH AREA WITH WATER.
LG SPILL: NEUTRALIZE WITH SODA ASH. FLUSH NEUTRALIZED SOLUTION TO SEWER IN ACC ORDANCE WITH INTERNATIONAL FED, STA, & LOCAL REGS.

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED,LOW
 FIRE RISK AREA. PROTECT FROM PHYSICAL DAMAGE.KEEP CONTAINERS
 CLOSED. MAINTAIN STRICT HYGIENE FOR CHEM HANDLING.
 Other Precautions:PHONE 201-469-0100 FOR ENGINEERING & DESING ADVICE.

Respiratory Protection:SCBA,POS PRESS AIR HOSE MASK,USBM APPRVD,NIOSH APPRVD CANISTR MASK. Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN