View NSN Online: https://aerobasegroup.kr/nsn/6810-00-241-1150 SHAPE PRODUCTS -- O-C-265B, CHEMICAL, ANALYTICAL, GEN. SPEC. FOR. -- 6810-00-241-1150 Product ID:O-C-265B, CHEMICAL, ANALYTICAL, GEN. SPEC. FOR. MSDS Date:01/01/1985 FSC:6810 NIIN:00-241-1150 MSDS Number: BDMJY === Responsible Party === Company Name: SHAPE PRODUCTS Address:1127 57TH AVE. City:OAKLAND State:CA ZIP:94621-4427 Country:US Info Phone Num:415-534-1186 Emergency P hone Num:415-534-1186 CAGE:3D869 === Contractor Identification === Company Name: SHAPE PRODUCTS Address:1127 57TH AVE.

Box:City:OAKLAND

State:CA

ZIP:94621-4427 Country:US

Phone:510-534-1186 OR 800-444-0015

CAGE:3D869

======= Composition/Information on Ingredients =======

Ingred Name: POTASSIUM CHLORATE

CAS:3811-04-9

RTECS #:FO0350000 Fraction by Wt: UNK

======== Hazards Identification ===========

Effects of Overexposure:SORE THROAT, COUGHING, HEADACHE, DIZZI

NESS, BLUISH SKIN,IRRITATES EYES,NAUSEA,ABDOM.PAIN,DIARRHEA,FAINT.
======================================
First Aid:INHALATION:FRESH AIR,REST & CALL DOCTOR; SKIN:REMOVE CONTAMINATED CLOTHES,RINSE SKIN W/PLENTY OF H2O;EYES:FIRST RINSE W/PLENTY OF WATER,THEN SEE DOCTOR,INGESTION:RINSE MOUTH,GIVE PLENTY OF WATER TO DR INK INDUCE VOMITING & CARRY TO HOSPITAL.
======================================
Fire Fighting Procedure s:FLOOD W/H2O;WEAR SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:MAY CAUSE FIRE W/COMBUSTIBLES;POISONOUS GASES ARE PRODUCED IN FIRE;WHEN HTD GIVES OFF O2;IGN BY SHK
========= Accidental Release Measures ==========
Spill Release Procedures:SWEEP UP SPILLED SUBSTANCE.DO NOT CONTAMINATE & REMOVE TO SAFE PLACE,WASH AWAY REMAINDER W/LARGE AMTS OF WATER,DO NOT ABSORB IN SAWDUST OR OTHER COMBUSTIBLE SUBSTANCES,USE EXTRA PERSONAL PROTECTION;CA LSS 2B PART.FILTER RESP.ELIM.IGNITION SOURCES
======================================
Handling and Storage Precautions:SEPARATE FROM COMBUSTIBLE SUBSTANCES & REDUCING AGENTS,SEPARATE FROM STRONG ACIDS.PROTECT CONTAINERS AGAINST PHYSICAL DAMAGE.SEPARATE FR POWDERED MTLS  Other Precautions:SEPARATE FROM OXIDIZERS,AMMONIUM SALTS,SULFUR & FLAMMABLE VAPORS.USE ADEQUATE VENTILATION.PREVENT DISPERSION OF DUST.AVOID CONTAMINATION.AVOID MECH.SHOCK OR FRIC TION.KEEP CONTS CLOSED.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:DUST MASK. Ventilation:LOCAL EXHAUST Protective Gloves:RUBBER Eye Protection:SAFETY GOGGLES Other Protective Equipment:PROTECTIVE CLOTHING Supplemental Safety and Health
========= Physical/Chemical Properties =========
HCC:D1 Spec Gravity:2.337 Solubility in Water:APPRECIABLE Appearance and Odor:SOLID,WHITE,ODORLESS ===================================
Clabinty and Nodot

IVITY Data ===========		==========
------------------------	--	------------

Stability Indicator/Materials to Avoid:YES
COMBUSTIBLES,REDUCING MATLS,NH3 COMPDS,POWDERED METALS,ACID
Stability Condition to Avoid:AVOID COMBUSTIBLES.

Hazardous Decomposition Products:TOXIC FUMES,CHLORINE DIOXIDE FR REACTION W/ STRONG ACIDS.

======= Disposal Considerations ===========

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL.HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL,FEDERAL,STAT

E, & LOCAL REGULATIONS;OR USE VAST SOL.OF CONC.SOLN OF REDUCING AGENT(BISULFITE S).NEUTRALIZE W/SODA ASH OR DILUTE HCL;DR W/H2O.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should se

ek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.