View NSN Online: https://aerobasegroup.kr/nsn/6810-00-241-1188

J.T. BAKER CHEMICAL CO. -- IODINE, 2208 -- 6810-00-241-1188

========= Product Identification ==============

Product ID:IODINE, 2208 MSDS Date:03/09/1992

FSC:6810

NIIN:00-241-1188

MSDS Number: BDMLQ === Responsible Party ===

Company Name: J.T. BAKER CHEMICAL CO.

Address:222 RED SCHOOL LANE

City:PHILLIPSBURG

State:NJ ZIP:08865 Country:US

Info Phone Num:800-582-2537

Emergency Phone Num:908-859-2151;800-424-8802/93

00

CAGE:5B970

=== Contractor Identification ===

Company Name: J.T. BAKER CHEMICAL COMPANY SUB OF RICHARDSON-VICKS INC

Address:995 ZEPHYR AVE

Box:City:HAYWARD

State:CA

ZIP:94544-7917

Country:US Phone:UNK

CAGE:5B970

Company Name: MALLINCKRODT BAKER, INC.

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ ZIP:08865 Country:US

Phone:800-582-2537

CAGE:70829

====== Composition/Information on Ingredients ========

Ingred Name:IODINE

CAS:7553-56-2

RTECS #:NN1575000

Fraction by Wt:

90-100% OSHA PEL:0.1 PPM, C ACGIH TLV:0.1 PPM, C

========== Hazards Identification ===============

LD50 LC50 Mixture:LD50:(ORAL,RAT) 14 G/KG.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:INHAL:IRRITATION OF MUCOUS MEMBRANES, SEVERE IRRITATION OR BURNS OF RESPIRATORY SYSTEM, PULMONARY EDEMA, LUNG INFLAMMATION & MAY BE FATAL. SKIN

CONTACT: SEVERE IRRITATION OR BURN

S. EYE CONTACT: SE VERE IRRITATION

OR BURNS, PROLONGED CONTACT MAY CAUSE PERMANENT CORNEAL DAMAGE & BLINDNESS MAY OCCUR. (EFTS OF OVEREXP)

Explanation of Carcinogenicity: NOT RELEVANT

Effects of Overexposure:HLTH HAZ:INGEST:IRRITATION & BURNS OF MOUTH & THROAT, GASTROINTESTINAL PAIN, NAUSEA, VOMITING, FEVER, SHOCK, BLOODY URINE, DIFFICULT BREATHING & MAY BE FATAL. CHRONIC:LUNG DAMAGE, THYROID DAMAGE, BLAD DER DAMAGE. TARGET ORGANS:RESPIRATORY SYSTEM, EYES, SKIN, CENTRAL NER

VOUS SYSTEM, CARDIOVASCULAR SYSTEM.

Medical Cond Aggravated by Exposure: NONE IDENTIFIED.

First Aid:INGEST:CALL MD. IF SWALLOWED, DO NOT INDUCE VOMITING. IF CONSCIOUS, GIVE WATER, MILK OR MILK OF MAGNESIA. INHAL:REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTF RESP. IF BREATHING IS DIFFICULT, GIVE O XYGEN. SKIN:IMMEDIATELY FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINUTES. EYES:IMMEDIATELY FLUSH W/PLENTY OF WATER

FOR AT LEAST 15 MINUTES.

======== F	Fire Fighting Measures	=======================================
------------	------------------------	---

Flash Point Method:CC

Extinguishing Media: USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard:MODERATE OXIDIZER. CONTACT W/OTHER MATERIAL MAY CAUSE FIRE.

=======================================	Accidental	Release	Measures	=======================================
---	------------	---------	----------	---

Spill Release Procedures: WEAR NIOSH/MSHA AP

PROVED SCBA & FULL PROTECTIVE CLOTHING. WITH CLEAN SHOVEL, CAREFULLY PLACE MATERIAL INTO CLEAN, DRY CONTAINER & COVER; REMOVE FROM AREA. FLUSH SPILL AREA W/WATER. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. ============= Handling and Storage ========================== Handling and Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED. STORE IN CORROSION-PROOF AREA. KEEP CONTAINERS OUT OF SUN & AWAY FROM HEAT. Other Precautions: CORROSIVE. MAY BE FATAL IF SWALLOWED O R INHALED. CAUSES SEVERE IRRITATION. DO NOT GET IN EYES, ON SKIN, ON CLOTHING. AVOID BREATHING DUST. USE W/ADEQUATE VENTILATION.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: NONE REQUIRED WHERE ADEQUATE VENTILATION CONDITIONS EXIST. IF AIRBORNE CONCENTRATION EXCEEDS TLV, A NIOSH/MSHA APPROVED SELF-CONTAINED BREATHING APPARATUS IS ADVISED. Ventilation: USE GENERAL OR LOCAL EXHAUST TO MEET TLV REQUIREMENTS. VENT HOOD.

Protective GI

HCC:N1

oves:RUBBER

Eye Protection: SAFETY GOGGLES.

Other Protective Equipment: EMERGENCY EYE WASH & DELUGE SHOWER. UNIFORM & APRON ARE RECOMMENDED. LAB COAT.

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

PH:5.4 (SATURATED SOLN). MATLS TO AVOID:ACTIVE METALS, POWDERED METALS, CARBIDES, AMMONIUM HYDROXIDE.

========= Physical/Chemical Properties ===========

Boiling Pt:B.P. Text:364F/184C Melt/Freeze Pt:M.P/F.P Text:237F,114C Vapor Pres:0.31 @ 20C Vapor Density:9 Spec Gravity: 4.93 (H*2O=1) pH:SUPDAT

Solubility in Water: NEGLIGIBLE (