View NSN Online: https://aerobasegroup.com/nsn/8030-00-244-1300

ABLESTIK LABORATORIES -- MIL-C-16173,PIGMENTED CORROS INHIB CMPD,GR1

8030-00-244-1300

Product ID:MIL-C-16173, PIGMENTED CORROS INHIB CMPD, GR1

MSDS Date:01/01/1985

FSC:8030

NIIN:00-244-1300

MSDS Number: BDNBX === Responsible Party ===

Company Name: ABLESTIK LABORATORIES

Emergency Phone Num:213-532-9341

CAGE:9V874

=== Contractor Identification ===

Company Name: AB

LESTIK LABS

Address:833 WEST 182ND ST

Box:9067

City:GARDENA

State:CA ZIP:90248 Country:US

Phone:213-532-9341

CAGE:9V874

Company Name: ABLESTIK LABS SUB OF NATIONAL STARCH AND CHEMICAL

Address:20021 SUSANA RD

Box:City:COMPTON

State:CA ZIP:90221 Country:US

Phone:310-764-4600

CAGE:21109

======= Composition/Information on Ingredients ========

Ingred Name:ZINC CHROMATE

CAS:13530-65-9 RTECS #:GB3290000 Fraction by Wt: 16%

OSHA PEL:0.1 MG/M3 (CRO3) ACGIH TLV:0.01MG/M3(CR)A1;9192

Ingred N

ame:GRAPHITE RTECS #: VV7780000 Fraction by Wt: 6% ACGIH TLV:2.5MG/CUM R-DST Ingred Name: NAPHTHA (PETROLEUM SPIRITS OR BENZIN) CAS:8030-30-6 RTECS #:SE7555000 Fraction by Wt: 4.5% **OSHA PEL:100 PPM** Ingred Name: GREASE BEARING. Fraction by Wt: 59% Ingred Name:SALICYLANILIDE (TYPE NOT SPECIFIED) CAS:87-17-2 RTECS #:VN7850000 Fraction by Wt: 5% Effects of Overexposure: EYE/SKIN: IRRITATION ======= First Aid Measu res ============ First Aid:EYE:FLUSH WITH WATER 15 MIN, CONSULT PHYSICIAN. SKIN:WASH WITH SOAP AND WATER. ============ Fire Fighting Measures ========================= Flash Point:>300F/148C (OC) Extinguishing Media:FOAM,CO*2

======== Accidental Release Measures ============

Spill Release Procedures: WIPE UP WITH DRY CLOTH, FOLLOWED BY CLOTH DAMPENED WITH ALIPHATIC SOLVENT

====== Exposure Controls/Personal Protection ========

Ventila

ADD INGRED:NYLON FLOCKING,5%. PRODUCT WAS FORMALLY MFR UNDER MIL-C-16173 IN 9 WHICH WAS SUPERSEDED BY MIL-C-16173 IN 1977. CONTAINER SIZE: 55 GAL
======== Physical/Chemical Properties =========
HCC:N1 Spec Gravity:1.1 Solubility in Water:NEGLIGIBLE Appearance and Odor:OLIVE DRAB,NON-FLOWING PASTE;MINERAL SPIRITS ODOR Percent Volatiles by Volume:5
======= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES

Other Protective Equipment: AS REQUIRED TO PREVENT SKIN CONTACT.

tion:GENERAL

particular situation.

Supplemental Safety and Health

Waste Disposal Methods:INCINERATE BY METHODS CONSISTENT WITH LOCAL, STATE AND FEDERAL REGULATIONS.

======= Disposal Considerations ===========

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or im plied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their