

NU-BRITE CHEMICAL CO INC, STERLING GROUP -- S.D. WOOD TURPENTINE -- 8010-00-246-6442
===== Product Identification =====

Product ID:S.D. WOOD TURPENTINE

MSDS Date:01/01/1985

FSC:8010

NIIN:00-246-6442

MSDS Number: BDNJV

=== Responsible Party ===

Company Name:NU-BRITE CHEMICAL CO INC, STERLING GROUP

Address:NINE OHIO RIVER BLVD

City:SEWICKLEY

State:PA

ZIP:15143-2199

Country:US

Info Phone Num:412-766

-7600

Emergency Phone Num:800-424-9300

CAGE:78580

=== Contractor Identification ===

Company Name:NU-BRITE CHEMICAL CO INC, STERLING GROUP

Address:NINE OHIO RIVER BLVD

Box:City:SEWICKLEY

State:PA

ZIP:15143-2199

Country:US

Phone:CHEMTREC 800-424-9300

CAGE:78580

===== Composition/Information on Ingredients =====

Ingred Name:S.D. WOOD TURPENTINE

RTECS #:VO8400000

Fraction by Wt: 100%

ACGIH TLV:100PPM

===== Hazards Identification =====

Effects o

f Overexposure:SKIN:IRRIT, DERMAT,BURNS. EYE:IRRIT, DAMAGING,
VAPOR IRRIT. INGEST:SERIOUS ILLNESS,DEATH-SUPP DATA

=====
First Aid Measures
=====

First Aid:EYE: FLUSH W/WATER FOR 15 MIN,CALL MD. SKIN: WASH W/SOAP &
WATER,CALL MD IF NEC. REMOVE & WASH CONTAMINATED CLOTH. INH: REMOVE
FROM EXPOS;CALL MD IF NEC. INGEST: CALL MD IMMED.GIVE EDIBLE
OIL,STOMACH PUMP MAY BE NEC,ASPIRATION A HAZARD IF VOMITING.

=====
Fire Fighting Measures
=====

Flash Point:92F;33C, TCC
Lower Limits:0.8
Extinguishing Media:DRY CHEMICAL, CO*2, FOAM, WATER MAY BE INEFFECTIVE.
Fire Fighting Procedures:USE WATER TO COOL HEAT EXPOSED CONTAINERS
Unusual Fire/Explosion Hazard:POSSIBLE EXPLOSION HAZARD DUE TO PRESSURE
BUILD UP IN HEAT EXPOSED CONTAINERS.

=====
Accidental Release Measures
=====

Spill Release Procedures:AVOID INHAL OF VAPORS. REMOVE ANY POSS SOURCES
OF IGNITION. VENTILATE AREA THOROUGHLY. MOP UP SPILL MATERIAL W/MOPS
& RAGS, FOLLOWED BY WASHING W.DETERGENT & WATER.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE & KEEP AWAY FROM ALL SOURCES OF
HEAT & FLAME. STORE AWAY FROM STRONG OXIDIZING AGENTS & MATERIALS.
CONTAINER:1 PT CAN.
Other Precautions:GROUND CONTAINER WHEN POURING, FREE FALL OF LIQUID
SHOULD NOT BE OVER A FEW INCHES. DO NOT INGEST. AVOID PROLONGED
CONTACT W/SKIN. PRODUCT HAS BEEN DISCONTINUED. SPEC:TY 1 CL
2-CANCELLED 7-79

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR RECOMMENDED FOR
EXPOSURE OF CONCERN.
Ventilation:LOCAL EXHAUST & MECHANICAL RECOMMENDED TO KEEP BELOW TLV.
Protective Gloves:RUBBER GLOVES
Eye Protection:CHEM GOGGLES
Supplemental Safety and Health
SYNONYM:SPIRITS OF TURPENTINE. OVEREXPOS:INH:HDACH,CHEST PAIN,
NARCOSIS. OVEREXPOS & FIRST AID FROM GHS MSDS REFERENCE

NCE. VP VALUE IS
FOR ALPHA PINE. SP GRAV VALUE IS AT 15.5C.

===== Physical/Chemical Properties =====

HCC:F3
Boiling Pt:B.P. Text:311F;155C
Vapor Pres:3.2
Vapor Density:4.84
Spec Gravity:0.862
Evaporation Rate & Reference:375 ETHER=1
Solubility in Water:SLIGHT
Appearance and Odor:CLEAR,WATER WHITE OILY LIQUID;AROMATIC ODOR
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES
STRONG OXIDIZING AGENTS,OXIDATION CATALYSTS-GE MSDS REF.
Hazardous Decomposition Products:CO*2, CARBON MONOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:MFR RECOMMENDS REMOVING CONTAMINATED MOPS & RAGS TO DUMP AREA & DISPOSING OF BY BURNING THEM. DO NOT INCINERATE CLOSED CONTAINERS OF TURPENTINE. DISPOSAL METHOD MUST BE IAW FEDERAL, STATE & LOCAL CODE S.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.