

HERCULITE PRODUCTS INC -- TURPENTINE (ASTM D-13) -- 8010-00-246-6443

=====  
Product Identification  
=====

Product ID:TURPENTINE (ASTM D-13)

MSDS Date:01/01/1985

FSC:8010

NIIN:00-246-6443

MSDS Number: BDNJW

=== Responsible Party ===

Company Name:HERCULITE PRODUCTS INC

Address:ABEERDEEN RD

Box:467

City:EMIGSVILLE

State:PA

ZIP:17318

Country:US

Info Phone Num:717-764-1191/FAX 717-764-5211

Emergency Phon

e Num:717-764-1191/FAX 717-764-5211

CAGE:13324

=== Contractor Identification ===

Company Name:HERCULES INCORPORATED

Address:HERCULES PLAZA

City:WILMINGTON

State:DE

ZIP:19894

Country:US

Phone:302-594-5000

CAGE:28284

Company Name:HERCULITE PRODUCTS INC

Address:1107 BROADWAY

Box:467

City:NEW YORK

State:NY

ZIP:10010-2802

Country:US

CAGE:13324

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SOLVENTS

Fraction by Wt: 100%

ACGIH TLV:100PPM

=====  
Hazar

ds Identification =====

Effects of Overexposure:MAY CAUSE EYE IRRITATION DERMITITAS OF SKIN,MAY CAUSE KIDNEY INFECTIONS.

===== First Aid Measures =====

First Aid:EYE:FLUSH W/WATER,CALL A DR.SKIN:WASH W/SOAP & WATER.INHAL:REMOVE TO FRESH AIR.IF SWALLOWED:DO NOT INDUCE VOMITING,

===== Fire Fighting Measures =====

Flash Point:99F TCC 37 C  
Extinguishing Media:FOAM,DRY CHEMICAL,CO\*2

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE IGNITION SOURCE.STOP SPILL AT ONCE,CONTAIN SPILL BY DIKE,ETC.PUMP INTO SALVAGE TANK.AVOID CONTACT W/VAPOR OR SPRAY MIST.

===== Handling and Storage =====

Handling and Storage Precautions:NORMAL,KEEP AWAY FROM FLAMES OR HIGH HEAT.USE ONLY W/ADEQUATE VENTILATION.AVOID PROLONGED CONTACT W/SKIN.  
Other Precautions:AVOID CONTACT W/OXIDIZING MATERIALS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:AS NEEDED TO MAINTAIN CONCENTT BELOW TLV LEVEL  
Ventilation:LOC EXHAUST-RECOMMENDED  
Protective Gloves:RECOMMENDED  
Eye Protection:RECOMMENDED  
Supplemental Safety and Health  
PROCURED UNDER ASTM D-13

===== Physical/Chemical Properties =====

HCC:F3  
Boiling Pt:B.P. Text:307 F 152 C  
Spec Gravity:.864  
Evaporation Rate & Reference:1  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:SLI

GHTLY YELLOW COLOR W/A PINACEOUS ODOR

Percent Volatiles by Volume:99.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:STRONG OXIDIZING MATERIALS

Conditions to Avoid Polymerization:CONTACT W/STRONG ACIDS FOR LEWIS  
ACIDS

===== Disposal Considerations =====

Waste Disposal Methods:LIQUID INCINERATION.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.