

AMERON PROTECTIVE COATINGS -- CLEAR -- 8010-00-251-6495

=====
Product Identification
=====

Product ID: CLEAR
MSDS Date: 01/01/1987
FSC: 8010
NIIN: 00-251-6495
MSDS Number: BDNVL
==== Responsible Party ====
Company Name: AMERON PROTECTIVE COATINGS
Address: 201 NORTH BERRY STREET
City: BREAA
State: CA
ZIP: 92622-1020
Country: US
Info Phone Num: 714-529-1951
Emergency Phone Num: 714-529-1951
CAGE: 0Y2E4
==== Contrac
tor Identification ====
Company Name: AMERON PROTECTIVE COATINGS
Address: 201 NORTH BERRY STREET
Box: 1020
City: BREAA
State: CA
ZIP: 92622-1020
Country: US
Phone: 714-529-1951
CAGE: 0Y2E4

=====
Composition/Information on Ingredients
=====

Ingred Name: CYCLOHEXANONE, KETOHEXAMETHYLENE
CAS: 108-94-1
RTECS #: GW1050000
Fraction by Wt: 9.0%
Other REC Limits: 100PPM (SKIN) STEL
OSHA PEL: 50 PPM
ACGIH TLV: 100 MG/CUM
EPA Rpt Qty: 5000 LBS
DOT Rpt Qty: 5000 LBS

Ingred Name: ISOBUTANOL, 2-METHYL-1-PRO

PANOL, ISOBUTYL ALCOHOL

CAS:78-83-1

RTECS #:NP9625000

Fraction by Wt: 14.0%

Other REC Limits:50 PPM

OSHA PEL:300 MG/CUM

ACGIH TLV:152 MG/CUM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:BENZIN, NAPHTHA, MINERAL SPIRITS, PETROLEUM NAPHTHA

CAS:8030-30-6

RTECS #:DE3030000

Fraction by Wt: 19.0%

Other REC Limits:STEL 400 PPM

OSHA PEL:100 PPM

ACGIH TLV:300 PPM

Ingred Name:ISOPROPANOL (ISOPROPYL ALCOHOL), 2-PROPANOL, DIMETHYL
CARBINOL (IARC-GROUP 3) *98-2*

CAS:67-63-0

RTECS #:NT8050000

Fraction by Wt: 6.0%

Other REC Limits:400 PPM

OSHA PEL:400 PPM

ACGIH TLV:400 PPM

Ingred Name:ACETIC ACID, ETHYL ESTER, ETHYL ACETATE *98-2*

CAS:141-78-6

RTECS #:AH5425000

Fraction by Wt: 7.0%

Other REC Limits:400 PPM

OSHA PEL:1400 MG/CUM

ACGIH TLV:1400 MG/CUM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Explanation of Car

cinogenicity:NONE

Effects of Overexposure:ANESTHETIC, IRR. OF RESPIRATORY TRACT OR ACUTE NERVOUS SYS. DEPRESSION, EYE & SKIN IRRITATION

=====
===== First Aid Measures =====

First Aid:IN CASE OF CONTACT FLUSH SKIN AND EYES WITH WATER AND REMOVE CONTAMINATED CLOTHING. IF INHALED REMOVE TO FRESH AIR. CALL A PHYSICIAN IF CONDITIONS PERSIST.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:25F

Extinguishing Media:SMALL FIRES-CARBON DIOXIDE OR DRY CHEM. LARGE FIRES-FOAM

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS FOR FIREMEN

Unusual Fire/Explosion Hazard:CLOSED CONTAINERS EXPOSED TO HEAT MAY EXPLODE

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. AVOID BREATHING VAPORS. REMOVE WITH INERT ABSORBENT AND NON-SPARKING TOOLS

=====
===== Handling and Storage =====

=====

Handling and Storage Precautions:DO NOT STORE ABOVE 120F. STORE LARGE QUANTITIES IN BUILDINGS DESIGNED FOR STORAGE OF NFPA CLASS ONE FLAMMABLES.

Other Precautions:CONTAINERS SHOULD BE GROUNDED WHEN POURING. AVOID FREE FALL OF LIQUID IN EXCESS OF A FEW INCHES.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED PAINT RESPIRATOR OR AIR SUPPLIED RESPIRATOR

Ventilation:PROVIDE GENERAL DILUTION OR LOCAL EXHAUST AS NEC

ESSARY

Supplemental Safety and Health

DA0700000 ETHYL BENZENE LT 5 PER CENT, KK8225000 CELLO.ACETATE LT 5 PER CENT. RESPIRATOR USE BASED ON CHEM. CONC. AND CONDITIONS OF USE.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:158-321F

Vapor Density:>1

Evaporation Rate & Reference:SLOWER THAN ETHER

Percent Volatiles by Volume:78.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stabil

ity Condition to Avoid:AVOID FIRE,HEAT AND HOT SURFACES

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.