

PRATT & LAMBERT INC. IND COATINGS DIV. -- VARNISH SPAR PHENOLIC RESIN --
8010-00-251-6980

=====
===== Product Identification =====

Product ID:VARNISH SPAR PHENOLIC RESIN

MSDS Date:01/02/1987

FSC:8010

NIIN:00-251-6980

MSDS Number: BDNWH

=== Responsible Party ===

Company Name:PRATT & LAMBERT INC. IND COATINGS DIV.

Box:2153

City:WICHITA

State:KS

ZIP:67201

Info Phone Num:(316) 733-1361

Emergency Phone Num:

(316) 733-1361

CAGE:PRATT

=== Contractor Identification ===

Company Name:AMERON INDUSTRIAL COATINGS DIVISION

Address:201 N BERRY ST

Box:City:BREA

State:CA

ZIP:92621-3904

Country:US

Phone:714-529-4597

CAGE:09869

Company Name:PRATT & LAMBERT

Address:250 PETTIT AVE

Box:2153

City:BELLMORE

State:NY

ZIP:11710

Country:US

Phone:800-647-2253

CAGE:PRATT

=====
===== Composition/Information on Ingredients =====

Ingred Name:MINERAL SPIRITS, PETROLEUM SPIRITS

CAS:64475-85-0

RTECS #:PY8240000

Oth

er REC Limits:100 PPM
OSHA PEL:500 PPM
ACGIH TLV:100 PPM

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INGESTION: GASTROINTESTINAL
IRRITATION, NAUSEA, VOMITING, CHEMICAL PNEUMONITIS, & FATAL.
INHALATION: IRRITATION OF THE NOSE, THROAT, NERVOUS SYSTEM
DEPRESSION, HEADACHE, DIZZINESS, CONFUSION, NAUSEA,
UNCONSCIOUSN
ESS, & ASPHYXIATION. EYE: IRRITATION. SKIN: DEFATTING &
IRRITATION.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:INHALATION: PERMANENT BRAIN & NERVOUS SYSTEM
DAMAGE, HARMFUL & FATAL, IRRITATION OF THE NOSE/THROAT, NERVOUS
SYSTEM DEPRESSION, HEADACHE, DIZZINESS, CONFUSION, NAUSEA, &
UNCONSCIOUSNESS. EYE: IRRITATI ON. SKIN: DEFATTING & IRRITATION.

===== First Aid Measures =====

First Aid:INGESTION: GET MED ATTN. INHALATION: REM
OVE TO FRESH AIR. IF
BREATHING HAS STOPPED, GIVE ARTIFICIAL RESPIRATION. GET MED ATTN.
EYE: FLUSH W/LARGE AMOUNTS OF WATER. GET MED ATTN. SKIN: REMOVE
CONTAMINA TED CLOTHING. WASH AREA W/SOAP & WATER.GET MED ATTN.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:102F
Extinguishing Media:USE NFPA CLASS B FIRE EXTINGUISHERS, CO2, DRY
CHEMICAL
Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR SCBA. WATER MAY BE
INEFFECTIVE
. COOL EXPOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP &
AUTO-IGNITION. USE FOG NOZZLES.
Unusual Fire/Explosion Hazard:ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT,
SPARKS, & FLAME. CLOSED OCNTAINERS MAY EXPLODE WHEN EXOSED TO
EXTREME HEAT.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. DIKE & CONTAIN
SPILL W/INERT MATERIAL. TRANSFER LIQUIDS TO COVERED METAL
CONTAINERS FOR RECOVERY OR DISPOSAL. USE ONL

Y NON-SPARKING TOOLS,
PLACE ABSORBENT IN COVERED METAL CONTAINERS FOR DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:DO NOT STORE ABOVE 95F. STORE LARGE QUANTITIES IN BUILDINGS DESIGNED FOR STORAGE OF NFPA CLASS ONE FLAMMABLES. DON'T TAKE INTERNALLY.

Other Precautions:CLOSE CONTAINER AFTER EACH USE. EMPTY CONTAINERS MUST NOT BE WASHED & RE-USED FOR ANY PURPOSE. CONTAINERS SHOULD BE GROUNDED & BONDED TO THE RECEIVING CONTAINER. DON'T WELD, BLAZE, OR CUT ON EMPTY CONTAINER.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE NIOSH APPROVED MECHANICAL FILTER RESPIRATOR TO REMOVE OVERSPRAY. NIOSH APPROVED PAINT SPRAY RESPIRATOR TO REMOVE SPRAY MIST/ORGANIC VAPORS WHEN IF IN RESTRICTED VENTILATION AREAS. IN CONFINED AREA USE A NIOSH AIR-SUPPLIED RESPIRATOR.

Ventilation:PROVIDE MECHANICAL & LOCAL EXHAUST VENTILATION IN VOLUME & PATTERN TO KEEP

KEEP AIR

Evaporation Rate & Reference:SLOWER THAN ETHER

Percent Volatiles by Volume:4.8%

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
STRONG ACIDS, ALKALINE MATERIALS.

Stability Condition to Avoid:HEAT, SOURCES OF IGNITION, SPARKS, & OPEN FLAME

Hazardous Decomposition Products:SMOKE, CO, CO2

=====
Disposal Considerations
=====

Waste Disposal Methods:DISPOSE IN ACCORDANCE W/LOCAL, STATE, & FEDERAL

REGULATIONS. INCINERATE ONLY IN EPA PERMITTED FACILITY. DON'T INCINERATE CLOSED CONTAINERS. OBSERVE PRECAUTIONS FOR DISPOSAL OF FLAMMABLE MATERIAL. PREVENT CONTAMINATION OF SEWERS/GROUNDWATER/STREAMS

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate

and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.