View NSN Online: https://aerobasegroup.com/nsn/3439-00-255-4569

WILLIAM DIXON CO-DIV GROBET FILE CO OF AMERICA -- BATTERNS FLUX P/N 54.402-1

3439-00-255-4569

Product ID:BATTERNS FLUX P/N 54.402-1

MSDS Date:12/22/1986

FSC:3439

NIIN:00-255-4569

MSDS Number: BDPDG === Responsible Party ===

Company Name: WILLIAM DIXON CO-DIV GROBET FILE CO OF AMERICA

Address:750 WASHINGTON AVE

City:CARLSTADT

State:NJ ZIP:07072 Country:US

Info

Phone Num:SAME

Emergency Phone Num:201-939-6700

CAGE:18037

=== Contractor Identification ===

Company Name: WILLIAM DIXON COMPANY

Address:750 WASHINGTON AVENUE

Box:City:CARLSTADT,BERGEN

State:NJ ZIP:07072 Country:US CAGE:18037

======= Composition/Information on Ingredients ========

Ingred Name: SODIUM TETRABORATE, ANHYDROUS

CAS:1330-43-4

RTECS #:VZ2240000 OSHA PEL:10 MG/M3 ACGIH TLV:1 MG/M3; 9192

Ingred Name: AMMONIUM CHLORIDE (SARA III)

CAS:12125-02-9 RTECS #:BP4550000

OSHA PEL:10

======================================
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:IRRITATION, BORATE POISONING IS POSSIBLE. Effects of Overexposure:EYE,SKIN:SLIGHT IRRITATION OR BURNING SENSATION. INHALATION: IRRITATION OF THE THROAT & NASAL MEMBRANES. INGESTION: NONE G IVEN BY MFR, BUT GI TRACT IRRITATION IS POSSIBLE. IF ABSORBED THROUGH SKIN, WO UNDS, OR BURN AREAS, NAUSEA, ABDOMINAL PAIN IS POSSIBLE. Medical Cond Aggravated by Exposure:ANY PREEXISTING ALLERGY, SENSITIVITY, OR ORGAN DYSFUNCTION.
======================================
First Aid:EYE: FLUSH 15 MIN W/AMPLE COOL WATER. SKIN:WASH W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRATION AS REQUIRED. INGESTION: INDUCE V OMITING. NOTHING BY MOUTH IF UNCO NSCIOUS.
======================================
Flash Point:NONE Extinguishing Media:NONE Fire Fighting Procedures:NONE
========= Accidental Release Measures ===========
Spill Release Procedures:CONFINE SPILLAGE-USE PROTECTIVE GLOVES AND COLLECT SPILL W/RAGS OR MOP. FLUSH REMAINDER TO DRAIN W/AMPLE RINSE WATER.
======================================
Handling and Storag

MG/M3/20 STEL

ACGIH TLV:10 MG/M3 FUME; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

DO NOT INHALE OR INGEST.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USE SUPPLIED AIR (SA) OR HIGH EFFICIENCY PARTICULATE (HIE) RESPIRATOR AS REQUIRED. Ventilation:LOCAL EXHAUST OR FUME HOOD. Protective Gloves:IMPERVIOUS AS REQUIRED. Eye Protection:SAFETY GLASSES OR GOGGLES AS REQUIRED. Other Protective Equipment:FULL BODY FUME/DUST PROTECTION-SLEEVES,CAP Work Hygienic Practices:AVOID E YE-SKIN CONTACT. DO NOT INHALE OR INGEST.
Supplemental Safety and Health
======================================
HCC:N1 Boiling Pt:B.P. Text:212F/100C Melt/Freeze Pt:M.P/F.P Text:32F/0C Solubility in Water:COMPLETE Appearance and Odor:FAINT YELLOW LIQUID
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES
======== Disposal Considerations ===========
Waste Disposal Methods:FOR SMALL AMOUNTS, DILUTE AND FLUSH TO SEWER OR LANDFILL IAW ALL LAWS & REGS.

e Precautions:DO NOT FREEZE. AVOID EYE-SKIN CONTACT.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume resp

onsibility for the suitability of this information to their particular situation.	