

J.T.BAKER CHEMICAL CO. -- SODIUM CHLORATE -- 6810-00-262-8587

=====
Product Identification
=====

Product ID:SODIUM CHLORATE

MSDS Date:06/26/1986

FSC:6810

NIIN:00-262-8587

MSDS Number: BDQCW

=== Responsible Party ===

Company Name:J.T.BAKER CHEMICAL CO.

Address:222 RED SCHOOL LANE

City:PHILLIPSBURG

State:NJ

ZIP:08865-2219

Country:US

Info Phone Num:201-859-2151

Emergency Phone Num:201-859-2151/800-42

4-9300(CHEMTREC)

CAGE:DO870

=== Contractor Identification ===

Company Name:J.T.BAKER CHEMICAL CO.

Address:222 RED SCHOOL LANE

City:PHILLIPSBURG

State:NJ

ZIP:08865-2219

Country:US

Phone:201-859-2151

CAGE:DO870

Company Name:MALLINCKRODT BAKER, INC.

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ

ZIP:08865

Country:US

Phone:800-582-2537

CAGE:70829

=====
Composition/Information on Ingredients
=====

Ingred Name:SODIUM CHLORATE

CAS:7775-09-9

RTECS #:FO0525000

Fraction by

Wt: 58.44%

Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL RAT LD50: 1200 MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PRODUCE IS IRRITATING TO BODY TISSUES.
NO CHRONIC EFFECTS IDENTIFIED.

Explanation of Carcinogenicity:NONE IDENTIFIED

Effects of Overexposure:EYE: SEVERE IRRITATION. SKIN: IRRITATION.
INHALE

D: RESPIRATORY IRRITATION, POSSIBLE RESPIRATORY SYSTEM
DAMAGE. INGESTED: HEADACHE, NAUSEA, VOMITING, DIZINESS,
GASTROINTESTINAL IRRITATION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15
MIN. SKIN: FLUSH SKIN WITH WATER. INHALATION:REMOVE TO FRESH AIR.
IF NOT BREATHING GIVE ARTIFICAIL RESPIRATION. IF BREATHING IS

DIFFICUL T, GIVE OXYGEN. INGESTION:** CALL A PHYSICIAN.** IF
SWALLOWED AND THE PERSON IS CONSCIOUS, IMMEDIATELY GIVE LARGE
AMOUNTS OF WATER. INDUCE VOMITING.

=====
===== Fire Fighting Measures =====

Extinguishing Media:USE WAATER SPRAY

Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR PROPER PROTECTIVE
EQUIPMENT AND FULL FACEPIECE SCBAOPERATED POSITIVE PRESSURE MODE.
COOL FIRE EXPOSED CONTAINERS WITH WATER.

Unusual Fire/Explosion Hazard:CAN BE AN E
XPLOSION HAZARD, ESPECIALLY
WHEN HEATED. MOVE EXPOSED CONTAINERS FROM FIRE AREA IF IT CAN BE
DONE WITHOUT RISK.

=====
===== Accidental Release Measures =====

Spill Release Procedures:WEAR SUITABLE PROTECTIVE CLOTHING. KEEP
COMBUSTABLES (WOOD, PAPER, OIL, ETC.) AWAY FROM SPILLED MATERIAL.
WITH A CLEAN SHOVEL, CAREFULLY PLACE MATERIAL INTO A CLEAN, DRY
CONTAINER AND COVER. REMOVE FROM AREA. FLUSH SPILL AREA WITH
WATER.

Neutralizing Agent:NONE SPE

CIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:**SAF-T-DATA STORAGE COLOR CODE:
YELLOW (REACTIVE)** KEEP CONTAINER TIGHTLY CLOSED. STORE
SEPARATELY AND AWAY FROM FLAMMABLE AND COMBUSTABLE MATERIAL
Other Precautions:NO INFORMATION GIVEN ON MSDS BY SUPPLIER

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED WHERE ADEQUATE VENTILATION
CONDITIONS EXIST.
IF AIRBORNE CONCENTRATION IS HIGH, USE AN
APPROPRIATE RESPIRATOR OR DUST MASK.
Ventilation:USE ADEQUATE GENERAL OR LOCAL EXHAUST VENTILATION TO KEEP
FUME OR DUST LEVELS AS LOW AS POSSIBLE.
Protective Gloves:PROPER GLOVES
Eye Protection:SAFETY GOGGLES
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:MFR: ? HMIS:USE GOOD CHEMICAL HYGIENE
PRACTICE. AVOID UNNECESSARY CONTACT. WASH THOROUGHLY BEFORE EATING
OR DRINKING.
Supplemental Safety and Health

MSDS RECEIVED FROM NAVY (FOCAL POINT N). NAVY IDENTIFIED NSN.

=====
===== Physical/Chemical Properties =====

HCC:D1
NRC/State Lic Num:NONE
Melt/Freeze Pt:M.P/F.P Text:478F,248C
Spec Gravity:POWDER
Solubility in Water:COMPLETE (100%)
Appearance and Odor:COLORLESS CRYSTALS, ODORLESS
Percent Volatiles by Volume:0

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG ACIDS, ORGANIC MATERIALS AT ELEVATED TEMPE

RATURES, STRONG

REDUCING AGENTS, COMBUSTABLE MATERIALS.

Stability Condition to Avoid:HEAT FLAME AND OTHER SOURCES OF IGNITION.

Hazardous Decomposition Products:EXPLOSIVE PEROXIDES

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:EPA HAZARDOUS WASTE NO. D001. DISPOSE IN
ACCORDANCE WITH ALL APPICBLE FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compilin
g agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.