

BETHLEHEM STEEL CORP -- AMMONIUM SULFATE -- 6810-00-264-6546

=====  
Product Identification  
=====

Product ID:AMMONIUM SULFATE

MSDS Date:01/01/1987

FSC:6810

NIIN:00-264-6546

MSDS Number: BDQNK

=== Responsible Party ===

Company Name:BETHLEHEM STEEL CORP

Emergency Phone Num:215-694-5105

CAGE:80406

=== Contractor Identification ===

Company Name:BETHLEHEM STEEL CORP

Address:701 E 3RD ST

Box:City:BETHLEHE

M

State:PA

ZIP:18015

Country:US

Phone:215-694-2424

CAGE:80406

=====  
Composition/Information on Ingredients  
=====

Ingred Name:AMMONIUM SULFATE (SOLUTION) (SARA III)

CAS:7783-20-2

RTECS #:BS4500000

Fraction by Wt: 99.8%

Ingred Name:H\*2O (CAS# 7732-18-5)

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 0.1%

Ingred Name:TRACE ELEMENTS

Fraction by Wt: 0.1%

=====  
Hazards Identification  
=====

Effects of Overexposure:EYE/SKIN:DUST IRRIT.INHAL:DUS

T POSS RESP TRACT  
IRRIT,BRONCHOCONSTRICTION.INGEST: (SEE SUPP DATA)

=====  
First Aid Measures  
=====

First Aid:EYE:FLUSH THOROUGHLY W/LARGE AMOUNTS OF H\*2O FOR @ LEAST 15  
MIN. SKIN:FLUSH EXPOSED AREAS W/LARGE AMOUNTS OF H\*2O. INHAL:REMOVE  
FROM EXCESSIVE DUST EXPOSURE LEVELS. INGEST:CONTACT POISON CONTROL  
CENTE R/SEEK MEDICAL ATTENTION PROMPTLY.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:MATE  
RIAL SHOULD BE SWEEPED OR VACUUMED INTO  
APPROPRIATE CONTAINERS.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:PROTECT CONTAINERS AGAINST PHYSICAL  
DAMAGE.

Other Precautions:IN ANIMAL STUDY,CHEM DUST IRRIT ARTF-INDUCED  
EMPHYSEMA,ENLARGED ALVEOLI,ALVEOLAR DUCTS,SACS.IN VITRO  
STUDY-SYNERGISM BETWEEN OXIDANT AIR POLLUTANTS,OZONE,NO\*2 &  
AMMONIUM SULFATE AEROSOL (MFR).

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NIOSH/MSHA APPROVED DUST & MIST RESPIRATOR.  
Ventilation:SUFFICIENT VENT TO KEEP DUST LEVELS < EXPOSURE LIMIT.  
Protective Gloves:RECOMMENDED  
Eye Protection:SAFETY GLASSES/GOGGLES  
Other Protective Equipment:PROTECTIVE CLOTHING RECOMMENDED IN DUSTY  
ATMOSPHERES.  
Supplemental Safety and Health  
OVEREXP:MODERATELY TOXIC;LGE AMT POSS DIURESIS,SYSTEMIC AMMONIA  
POISONING;DIGESTIVE TRACT SURFACE LINING IRRIT. OTHER MFR PHONE  
#:215-694-7066. CONTAINER: 1 LB BOTTL  
E. DATE OF PREP:11-85.

=====  
Physical/Chemical Properties  
=====

HCC:N1  
Spec Gravity:1.77  
Solubility in Water:APPRECIABLE  
Appearance and Odor:WHITISH CRYSTALLINE MATERIAL NO ODOR.

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES  
Hazardous Decomposition Products:AMMONIA,SULFUR OXIDES,SULFURIC ACID &  
OTHER POSSIBLE GASES.

=====  
Disposal Considerations  
=====

Waste Dispo

sal Methods:PERMITTED HAZARDOUS WASTE LANDFILL OR OTHER  
METHODS IN ACCORDANCE W/LOCAL,STATE & FEDERAL REGULATIONS. WASTE  
MAY BE RECLAIMED OR SALVAGED FOR FURTHER USE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any per  
son utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.