

SHERWIN-WILLIAMS CO -- E90 R P3 EPOXY PRIMER-PART A -- 8010-00-264-8866

=====  
Product Identification  
=====

Product ID:E90 R P3 EPOXY PRIMER-PART A

MSDS Date:01/01/1985

FSC:8010

NIIN:00-264-8866

MSDS Number: BDQWY

=== Responsible Party ===

Company Name:SHERWIN-WILLIAMS CO

Address:101 PROSPECT AVE N W

City:CLEVELAND

State:OH

ZIP:44115-1042

Country:US

Info Phone Num:216-566-2902

Emergency Phone Num:

216-566-2917

CAGE:54636

=== Contractor Identification ===

Company Name:SHERWIN-WILLIAMS CO THE

Address:101 PROSPECT AVE NW

Box:City:CLEVELAND

State:OH

ZIP:44115-1042

Country:US

Phone:800-251-2486/216-566-2242

CAGE:54636

=====  
Composition/Information on Ingredients  
=====

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 25%

OSHA PEL:100 PPM/150 STEL

ACGIH TLV:100 PPM/150STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred

Name:2-ETHOXYETHANOL (EGEE) (SARA III)  
CAS:110-80-5  
RTECS #:KK8050000  
Fraction by Wt: 10%  
OSHA PEL:S,200 PPM  
ACGIH TLV:S, 5 PPM; 9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:LEAD (SARA III)  
CAS:7439-92-1  
RTECS #:OF7525000  
Fraction by Wt: 8.7%  
OSHA PEL:0.05 MG/M3;1910.1025  
ACGIH TLV:0.15 MG/M3;DUST 9192  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:CHROMIUM ION (CR 6+)  
CAS:18540-29-9  
RTECS #:GB6262000  
Fraction by Wt: 0.58%  
OSHA PEL:C, 0.1 MG/M3 (CRO3)  
ACGIH TLV:0.05 MG/M3 (CR);8  
990

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)  
CAS:67-56-1  
RTECS #:PC1400000  
Fraction by Wt: 1.0  
Evaporation Rate & Reference:SLOWER THAN ETHER  
Percent Volatiles by Volume:58.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
Hazardous Decomposition Products:FIRE:CO\*2, CO, OXIDES OF LEAD &  
CHROMIUM

===== Disposal Considerations =====

Waste Disposal Methods:INCIN IN APPVD FACILITY. DO

NOT INCIN CLOSD

CONTAINER. DISPOSE IN ACCORD W/FED, STATE & LOCAL REGS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume respo

nsibility for the suitability of this information to their particular situation.