View NSN Online: https://aerobasegroup.kr/nsn/6850-00-264-9039

Product ID:DRY CLEANING SOLVENT MSDS Date:07/22/1986 FSC:6850 NIIN:00-264-9039 MSDS Number: BDRBY === Responsible Party === Company Name:CSD INC. Address:5 HACKBERRY LANE Box:687 City:CONROE State:TX ZIP:77305 Country:US Info Phone Num:409-756-1065 Emergency Phone Num:409-756-1065 CAGE: JO933 === Contractor Iden tification === Company Name: CHEMICAL SPECIALISTS AND DEVELOPMENT INC Address:2210 HACKBERRY LN Box:687 City:CONROE State:TX ZIP:77305 Country:US Phone:409-756-1065 CAGE:4N760 Company Name:CSD INC. Address:5 HACKBERRY LANE Box:687 City:CONROE State:TX ZIP:77305 Country:US Phone:409-756-1065 CAGE: JO933 Ingred Name: MINERAL SPIRITS Fraction by Wt: 100% ACGIH TLV:350PPM(MFR) ======== Hazards Identification ========

Effects of Overexposure:INH:DIZZ,HEAD,UNCONC;SKIN:DRY,DEFAT,IRR,DERMAT

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH W/SOAP & WATER. RMV CONTAM CLTHG & SHOES. INGEST:DO NOT INDUCE VOMIT. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

Flash Point:1 08F,42C Lower Limits:0.9 Upper Limits:6.0 Extinguishing Media:CO*2, FOAM, DRY CHEM & H*20 FOG. Fire Fighting Procedures: USE SCBA FOR ENCLOSED. COOL EXPSD CONT.W.WTR SPRAY. Unusual Fire/Explosion Hazard:DO NOT MIX,STORE W.STRONG OXIDANTS LIKE LIQUID CHLORINE OR CONC.OXYGEN-COMBUSTIBLE LIQUID-Spill Release Procedures: REMOVE IGNITION SOURCES, VENTILATE AREA WELL.ABSORB WITH VERMICULITE OR OTHER MATERIALS, SUCH AS S AWDUST, RAGS, PAPER & PLACE IN CLOSED CONTNR. USE NON SPARKING TOOLS. WEAR PROPER PROTCTV. EQUIP. DURING CLEAN UP;KEEP PETROL.PROD.OUT OF SEWERS,WTRCOURS Handling and Storage Precautions: STORE IN COOL, DRY WELL VENTED LOW FIRE RISK AREA. PROTECT FROM HEAT, SHOCK, FRICTION. KEEP CONTAINERS CLOSED. Other Precautions: AVOID BREATHING VAPORS. AVOID PROLONGED/REPEATED CONTACT W.SKIN.REMOVE CONTAM.CLOTHING.LAUNDR BEFOR E REUSE.REMOVE CONTAM SHOES&DRY BEFORE REUSE.WASH SKIN THOROUGHLY W.SOAP&WTR AFTER CONTACT. Respiratory Protection: USE HYDROCARBON VAP. CANISTER OR SCBA IN CONFINED SPACES. Ventilation:LOCAL EXHAUST TO ELIMINATE MISTS/FUMES/GASES. Protective Gloves: CHEM.RESIST. Eye Protection: CHEM SPLASH GOGGLES Other Protective Equipment: CHEM.RESISTANT APRON. Supplemental Safety and Health MSDS DATED 07-22-86/

HCC:F4 Boiling Pt:=148.9C, 300.F Vapor Pres: