

BRAY OIL COMPANY -- BRAYCO MICRONIC 756F (MIL-H-5606) -- 9150-00-265-9408

=====
Product Identification
=====

Product ID:BRAYCO MICRONIC 756F (MIL-H-5606)

MSDS Date:01/01/1985

FSC:9150

NIIN:00-265-9408

MSDS Number: BDRFJ

=== Responsible Party ===

Company Name:BRAY OIL COMPANY

Emergency Phone Num:213-575-1212

CAGE:EO565

=== Contractor Identification ===

Company Name:BRAY OIL COMPANY, INC.

CAGE:EO56

5

Company Name:CASTROL INDUSTRIAL NORTH AMERICA INC SPECIALTY PRODUCTS
DIV

Address:1001 WEST 31ST STREET

Box:City:DOWNERS GROVE

State:IL

ZIP:60515-1280

Country:US

Phone:800-621-2661/ FAX: 630-241-4140

CAGE:2R128

=====
Composition/Information on Ingredients
=====

Ingred Name:TRIORTHOCRESYL PHOSPHATE

CAS:78-30-8

RTECS #:TD0350000

OSHA PEL:S, 0.1 MG/M3

ACGIH TLV:S, 0.1 MG/M3; 9192

Ingred Name:HYDRAULIC FLUID,PETROLEUM BASE

ACGIH TLV:5 MG/CUM O-MIST

=====
H

azards Identification =====

Effects of Overexposure:EYE/SKIN: IRRITATION.

===== First Aid Measures =====

First Aid:EYE: FLUSH WITH WATER 15 MINUTES,CONSULT PHYSICIAN. SKIN:
WASH WITH SOAP AND WATER. INGESTION: DO NOT INDUCE VOMITING,CALL
PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:215F/101C (COC)
Extinguishing Media:DRY CHEMICAL,CARBON DIOXIDE,FOAM,WATER FOG
Fire Fighting Procedure
s:SELF-CONTAIN BREATH APP,WATER FOG TO COOK
EXPOSED CONTAINERS

===== Accidental Release Measures =====

Spill Release Procedures:STOP FLOW,SECURE SOURCES OF IGNITION. WIPE,MOP
UP OR ABSORB WITH CLAY,DIATOMACEOUS EARTH OR OTHER INERT MATERIAL.
STORE IN CLOSED METAL CONTAINERS.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE NEAR HEAT,OPEN FLAME OR
OTHER SOURCES OF IGNITION.

=====

=== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED RESP DEVICE IN ACCORD WITH
EXPOSURE OF CONCERN.
Ventilation:LOCAL/MECHANICAL IF OIL MIST EXCEEDS TLV.
Protective Gloves:PLASTIC/RUBBER
Eye Protection:SAFETY GLASSES
Supplemental Safety and Health
CONTAINER SIZE: 55 GAL DRUM

===== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:>400F/204C
Spec Gravity:0.875
Solubility in Water:NEGLIGIBLE
Appearance

and Odor:LOW VISCOSITY FLUID,DYED RED,PETROLEUM ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Hazardous Decomposition Products:CARBON MONOXIDE & ASPHYXIANTS.

===== Disposal Considerations =====

Waste Disposal Methods:COMPLY WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulat

ed for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.